

**1989 MICHIGAN WHEEL
OUTBOARD AND
STERN DRIVE CATALOG**

MAKING BOATING BETTER



WE MAKE HUNDREDS OF PROPS TO PROVEN OVER MILLIONS OF MILES

It's simple. Michigan Wheel makes more kinds of props for more kinds of boats than anyone else. We make them better. And we've been making them for more than 80 years. So no matter what you have in mind—cruising, waterskiing, fishing, whatever—Michigan Wheel has a prop to match your specific performance needs. More combinations of metal, diameter, pitch, rotation and shaft size are available from Michigan Wheel than any other manufacturer.

IMPORTANT NOTE: If you are replacing a prop and can't find the part number listed in this catalog, your Michigan Wheel dealer or distributor can help. He will consult the Michigan Wheel Index of Outboard and Stern Drive Propellers. From this index, which provides part numbers for every Michigan Wheel prop produced since we began in 1903, your dealer can determine the specifications you need. (For information on how to order your own copy of the index, see accessories on page 4.)

OUR EXCLUSIVE, HIGH-STRENGTH ALLOYS MEAN LONGER PROP LIFE.

The quality of any product begins with the materials that go into it. While some manufacturers skimp by using lower grade metal, Michigan Wheel uses only the finest grade alloys. We will settle for nothing less. That's why Michigan Wheel aluminum props are stronger than original equipment props. Other manufacturers' products may look similar on the surface, but the high magnification photos below reveal startling differences in quality.



The tighter grain and compact structure of the Michigan Wheel prop on the left make it nearly twice as strong and less susceptible to damage than the ordinary prop on the right.

Michigan Wheel Exclusive Alloys

MICHIGAN Aluminum props	MICHALLUM®
MICHIGAN Stainless steel props	MICHALLOY-S™
MICHIGAN Bronze props	MICHALLOY-K®

MICHALLUM® ALUMINUM PROP	ORDINARY ALUMINUM PROP
Tensile strength: 40,000 lbs psi	Tensile strength: 22,000 psi
Less brittle	More brittle
Blades flex under impact	Blades tend to break and tear under impact
Easy to repair	Difficult to repair
Easy to change pitch	Breaks easily in straightening process

The photo on the left shows the metal used in a Michigan Wheel aluminum prop. The tight, uniform grain of the metal makes it nearly twice as strong as the typical aluminum prop shown on the right. Notice how the ordinary prop is powered.


Our high-strength alloys cost us a little more. But that cost is insignificant when measured against the trouble-free service and easy repairability of Michigan Wheel props.



FIT THOUSANDS OF BOATS

CUSHIONED HUBS PROTECT MOTORS, SHAFTS

Our cushioned hubs are another source of strength. The rubber hub bonded inside every Michigan Wheel prop helps protect expensive shafts, motors and gearboxes from damage caused by the propeller's impact with an object, and it absorbs the stress caused by shifting gears. With a Michigan Wheel prop, you get the strongest cushioned hubs in the industry.



Michigan Wheel's cushioned hub is made of a special bronze alloy for superior strength.

At Michigan Wheel we understand the beating your props take. That's why we make Michigan Wheel props this tough. The whole idea is to give you more time for boating fun.

WE SCIENTIFICALLY HELP YOU SELECT THE RIGHT PROP

The prop that came with your new engine isn't necessarily the one that's best suited to your needs. This is because many original equipment props, understandably, are made to meet a range of average conditions for many kinds of boats, hull styles and loads. This can limit their performance.


At Michigan Wheel, we have expertise and take the time to choose the right prop for your boat. With your input on our exclusive "Prop-It-Right" form, our distributors analyze all the variables that affect prop selection. Then they use that data to suggest a prop with the diameter, pitch, bore, material, etc., that will best fit your needs.

Your Michigan Wheel dealer is backed by a team of distributor experts who draw upon the largest body of propeller knowledge and research in the world, all with a single goal in mind—to provide you with the Michigan Wheel propeller that will give you the greatest enjoyment on the water.



WE SERVICE WHAT EVERYBODY ELSE SELLS.

When something happens to your original equipment propeller, you take it to your boat dealer. Regardless of manufacturer, what most dealers do is rely upon the international network of authorized Michigan Wheel service stations. There are over 70 such stations throughout the United States, Canada and overseas. So even your original equipment propeller will probably be repaired by Michigan Wheel.



Our exclusive *Machined Pitch™* process allows Michigan Wheel to repair your prop to pinpoint accuracy.

Authorized Michigan Wheel service stations are operated by highly skilled and factory trained workers. Welding is handled by certified welders. But most importantly to Michigan propeller owners is the added fact that their propellers are indexed, which means that each repair station with their same matching pitch blocks can custom repair your Michigan propeller to its original specifications. This also applies to the repair and replacement of cushioned-hub propellers for gearshift engines.



Michigan Wheel motor brackets feature strong, sand cast aluminum brackets; skegs help lower engine repair costs.

FACTORY REPAIR.

Repair prices effective August 1, 1988.

OUTBOARD/STERN DRIVE Suggested factory list prices.

Diameter	Price	Cupped
6" -11"	\$20.00	\$26.00
11¼" -13¼"	26.00	32.00
13½" -15¾"	35.00	44.00
16" -19"	47.00	58.00
19¼" & larger	51.00	63.00
Cupping thru 14"	10.00 Net	
Cupping 14¼" & larger	14.00 Net	
Cupped & Ni-Bral add 25%		
Dia. reduction thru 13" dia.	17.00 Net	
Dia. reduction 13¼" & larger	30.00 Net	
Blade thinning	19.00 Net	
Hub replacement only:		
thru 49 h.p.	26.00 Net	
50-95 h.p.	32.00 Net	
100 h.p. & over	40.00 Net	
Hub replacement in addition to prop repair:		
thru 25 h.p.	14.00 Net	
26-49 h.p.	26.00 Net	
50-95 h.p.	28.00 Net	
100 h.p. & over	32.00 Net	
(Stainless Steel 100% extra)		

INBOARD Suggested factory list prices.

Dia.	Price	Dia.	Price	Dia.	Price	Dia.	Price
10"	\$32.00	14"	\$47.00	18"	\$ 75.00	24"	\$137.00
11"	35.00	15"	53.00	19"	89.00	26"	162.00
12"	36.00	16"	61.00	20"	100.00	28"	168.00
13"	40.00	17"	68.00	22"	119.00	29" & up per quote	

(2-3 blade Manganese bronze) (Ni-Bral, cupped, 4 blades—25% extra. Stainless Steel—100% extra) (above 28" on quotation) All welding net extra—time and material basis. Pitch change—new or undamaged at repair price. Pitch alterations must be accomplished at the owner's risk and knowledge that breakage can occur.

ALL REPAIRS PERFORMED AT OWNER'S RISK.

ACCESSORIES.

NO. 530 SLIDING MOTOR BRACKET. For standard transoms. For trolling or auxiliary motors on high transom boats. Bracket width 11". Natural mahogany finish, with sand-cast aluminum brackets.

	Price	Numeric
#530 (motors to 25 h.p.) 18" rails	\$147.00	301003
#530A (motors to 25 h.p.) 24" rails	\$160.00	301004

NO. 525 & 527 MOTOR BRACKET. Permanent mount for auxiliary or trolling motors. Natural hard maple finish, sand-cast aluminum brackets.

#525 (motors to 10 h.p.) 8½" width	\$ 66.00	301001
#527 (motors to 25 h.p.) 11" width	\$ 94.00	301002

REPLACEMENT ALUMINUM SKEGS (OUTBOARD/STERN DRIVE)

Evinrude-Johnson-OMC	Part No.	Price	Numeric
50 h.p. (2 Cyl.)	SKO76	\$20.00	300001
V-4 Outboard Model 400 Stern drive	SKO77	17.00	300002
V-6 Outboard Model 800 Stern drive	SKO78	20.00	300003

Mercury-Mercruiser

In line 6 Cyl.—Outboards	SKO83	20.00	300004
V-6 Outboard & Mercruiser (1983)	SKO84	20.00	300005
Mercruiser I (Thru 82)	SKO85	20.00	300006

MICHIGAN WHEEL OUTBOARD AND STERN DRIVE INDEX. This two-document set lists every prop Michigan Wheel has produced and the corresponding specs. The first uses an alpha numeric index; the second uses the new, numeric index. Cost: \$7/set.

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	ALUMINUM				STAINLESS STEEL			
					Nearest US Marine Equip.	Michigan Part No.	Price	Numeric	Nearest US Marine Equip.	Michigan Part No.	Price	Numeric
3.5-3.6 HP	69-76	Standard Replacement	2	7 1/2x 4 1/2	P-19	G20	\$ 31.00	072017				
3.5 HP	68-80	Standard Replacement	2	7 x 4 3/4	P-317	PC4	42.00	072020				
4, 4.4, 5.6, 6.6, 7.5, 8 HP Splined Shaft		Standard Replacement	2	7 1/2x 6 1/4	P-318	PC6	42.00	072021				
5 HP	76-89	Standard Replacement	2	8 x 5	P-409(P-75)	PC9	42.00	072022				
4 HP	81-89	Standard Replacement	3	7 1/4x 5 1/2	P-488	G30	31.00	152014				
		16'-14' Bts.—Light Loads	2	7 x 6 1/2	P-487	PC112	38.00	072123				
		Aux.—Work Boats	2	8 x 5	P-75	PC90	34.00	072126				
5 1/2-6 HP	56-59	Standard Replacement	2	7 1/2x 7		PC5	34.00	072120				
6 HP	64-67	Standard Replacement	2	7 1/2x 7		GC54	42.00	072018				
6-10 HP Sailor	76-78	Sailboats	3	10 3/8x10	P-278	GC54	42.00	072018				
Sailor 180-250	79 Thru	Sailboats	3	10 1/2x 7	P-296	AMC308	68.00	072014				
6, 7.5, 9.2 HP	56-67	14'-12' Bts.—Light Loads	2	8 x 8		SMC46	68.00	072074				
						GC55	42.00	072019				
9.9 HP	68-89	14'-12' Bts.—Light Load	2	8 x 8 3/4	P-70	PC12	42.00	072024				
10 HP	74-78	Standard Replacement	3	8 1/8x 8 1/4	P-408	PC20	45.00	072026				
12 HP	78-79	Standard Replacement	2	8 1/4x 8		PC10	42.00	072023				
12.9 HP	All Yrs.	14'-12' Bts.—Light Loads	3	8 x 9	P-472	PC28	45.00	072122				
15 HP Splined Shaft	80-89	16'-14' Bts.—Light Loads	3	8 1/4x 6	P-395	PC24	45.00	072121				
		Aux.—Work Boats	3	8 1/4x 4 1/2	P-396	PC26	45.00	072125				
20-25 HP Splined Shaft	68-78	Standard Replacement	3	8 1/2x 8 1/2	P-324	AMC490	62.00	152002				
		16'-14' Bts.—All Loads, Skis	3	8 1/2x 8		PB4	64.00	072027				
		14'-12' Bts.—Light Loads	3	8 1/2x10	P-346	PR8	64.00	072028				
		14'-12' Bts.—Light Loads	3	8 1/2x11	P-461	PR10	64.00	072029				
20-25 HP	79-81	Cruisers, Houseboats, Sailboats	3	10 1/2x 7	P-296	SMC46	68.00	072074				
40-50 HP Pin Shaft	61-65	17'-16' Bts.—All Loads, Skis	3	10 1/2x12	P-90	SMC715	72.00	152038				
		16'-14' Bts.—All Loads, Skis	3	10 1/2x13		SMC713	72.00	152037				
30 HP	66 Thru	Cruisers, Houseboats, Sailboats	3	10 3/8x10	P-278	AMC308	68.00	072014				
35 HP	66 Thru	19'-17' Bts.—All Loads, Skis	3	10 1/4x11	P-287	PR130	70.00	072035				
45 HP	66 Thru	17'-16' Bts.—All Loads, Skis	3	10 1/4x12	P-293	PR132	76.00	072036				
Splined Shaft		16'-14' Bts.—All Loads, Skis	3	10 1/4x13	P-273	PR134	70.00	072037				
50 HP	82 Thru	16'-14' Bts.—Light Loads	3	10 1/4x14		PR136	70.00	072038				
55-60 HP 2-piece lower unit	66 Thru	Light Runabouts—Light Loads	3	10 1/4x15	P-275	PR138	70.00	072039				
55-60 HP 1-piece lower unit	74-79	17'-16' Bts.—All Loads, Skis	3	11 3/4x12	P-475	PR432	83.00	072114				
		16'-14' Bts.—All Loads, Skis	3	11 1/4x13	P-474	PR434	83.00	072068				
55, 60, 65 HP Splined Shaft 1-piece lower unit	78-78 & 81 Thru	17'-16' Bts.—All Loads, Skis	3	10 x12	PS-522(P-522)	PR552	96.00	072069				
		16'-14' Bts.—All Loads, Skis	3	10 x13	PS-493(P-493)	PR553	96.00	072070				
		16'-14' Bts.—Light Loads	3	10 x14	PS-494(P-494)	PR554	96.00	072071	P-496	SSC614C	\$328.00	073006
		14'-12' Bts.—Light Loads	3	10 x15	PS-495(P-495)	PR555	96.00	072072				
80 HP 2-piece lower unit	61-65	Cruisers, Houseboats, Sailboats	3	13 x 8		PJ51	92.00	012034				
		17'-16' Bts.—All Loads, Skis	3	12 1/8x14	P-84	PJ50	73.00	012033				
70 HP (1.73:1)	70-79	22'-19' Bts.—All Loads	3	13 1/8x11	P-381	PR74	114.00	072030				
75, 85, 105 HP (1.73:1) Splined Shaft 2-piece lower unit		18'-15' Bts.—All Loads, Skis	3	13 1/8x13	P-391	PR76	114.00	072031				
		17'-16' Bts.—All Loads, Skis	3	13 1/8x15	P-389	PR78	114.00	072032				
		16'-14' Bts.—All Loads, Skis	3	13 1/8x17	P-372	PR80	114.00	072033	P-520	SSC117C	335.00	073001
		Light Runabouts—Light Loads	3	13 1/8x19	P-383	PR82	114.00	072034				
75, 700 Skier (2:1) 1-piece lower unit	79-80	Cruisers, Houseboats	3	13 1/8x11	P-381	PR74	114.00	072030				
75 HP 2-piece lower unit	70-79	19'-17' Bts.—All Loads, Skis	3	13 1/8x13	P-391	PR76	114.00	072031				
105-120 HP (1.73:1) Splined Shaft 2-piece lower unit	70-77	18'-15' Bts.—All Loads, Skis	3	13 1/8x15	P-389	PR78	114.00	072032				
		17'-16' Bts.—All Loads, Skis	3	13 1/8x17	P-372	PR80	114.00	072033	P-520	SSC117C	335.00	073001
		16'-14' Bts.—All Loads, Skis	3	13 1/8x19	P-383	PR82	114.00	072034				
		16'-14' Bts.—Light Loads	3	13 1/8x21	P-489	PR884	114.00	072073				
75 HP† 1-piece lower unit	80-84	19'-17' Bts.—All Loads, Skis	3	14 x13	PS-501(P-501)	PR276	115.00	072054				
85 HP† 1-piece lower unit	78-87	17'-16' Bts.—All Loads, Skis	3	13 3/4x15	PS-519(P-519)	PR278	111.00	072055				
		16'-14' Bts.—All Loads, Skis	3	13 1/4x17	PS-623	SPC180	109.00	072107				
		16'-14' Bts.—Light Loads	3	13 x19	PS-625265	SPC182	109.00	072108				
		Hi-Performance Racing	3	13 x21	PS-526(P-526)	SPC184	109.00	072109				
85 HP	88-89	17'-16' Bts.—All Loads, Skis	3	13 3/4x15			125.00	*071030				
		16'-14' Bts.—All Loads, Skis	3	13 1/4x17			125.00	*071031				
		16'-14' Bts.—Light Loads	3	13 x19			125.00	*071032				
		Hi-Performance Racing	3	13 x21			125.00	*071033				
90 HP (2:1) 1-piece lower unit	73-77	Cruisers, Houseboats	3	13 1/8x11	P-381	PR74	114.00	072030				
130-135 HP (1.73:1) 2-piece lower unit	73-77	22'-19' Bts.—All Loads	3	13 1/8x13	P-391	PR76	114.00	072031				
		19'-17' Bts.—All Loads, Skis	3	13 1/8x15	P-389	PR78	114.00	072032				
		18'-15' Bts.—All Loads, Skis	3	13 1/8x17	P-372	PR80	114.00	072033	P-520	SSC117C	335.00	073001
		17'-16' Bts.—All Loads, Skis	3	13 1/8x19	P-383	PR82	114.00	072034				
		16'-14' Bts.—All Loads, Skis	3	13 1/8x21	P-489	PR884	114.00	072073				
90 HP Charger	84-87	22'-19' Bts.—All Loads	3	14 x13	PS-501(P-501)	PR276	115.00	072054				
105, 120, 135 HP†	77-78	19'-17' Bts.—All Loads	3	13 3/4x15	PS-519(P-519)	PR278	111.00	072055				
100, 115, 140 HP†	78 Thru	17'-16' Bts.—All Loads, Skis	3	13 1/4x17	PS-623	SPC180	109.00	072107	P-539	SSC315-II-C	312.00	073002
125 HP 1-piece lower units	85-87	16'-14' Bts.—All Loads, Skis	3	13 x19	PS-625	SPC182	109.00	072108	P-540	SSC317-II-C	312.00	073003
		16'-14' Bts.—Light Loads	3	13 x21	PS-626	SPC184	109.00	072109	P-527	SSC319-II-C	312.00	073004
90, 125 HP	88-89	19'-17' Bts.—All Loads	3	13 3/4x15			125.00	*071030				
		17'-16' Bts.—All Loads, Skis	3	13 1/4x17			125.00	*071031				
		16'-14' Bts.—All Loads, Skis	3	13 x19			125.00	*071032				
		16'-14' Bts.—Light Loads	3	13 x21			125.00	*071033				

† These propellers require a spacer (normally furnished with engine) between prop hub and shaft nut. * If currently using uncupped propeller, use cupped propeller with 2" less pitch. Boats with power trim use same pitch.

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	Nearest OMC Equiv.	ALUMINUM			SUPER-PROP STAINLESS STEEL		
						Michigan Part No.	Price	Numeric	Nearest OMC Equiv.	Michigan Part No.	Price
3-4 HP Weedless	52-73	Standard Replacement	3	6½x 4½	203919	PJ3	\$ 24.00	012001			
3-4 HP Right Angle Drive	64-72	Standard Replacement	3	8 x 4½	310208	PJ5	24.00	012002			
2.5, 4 HP	73 Thru	Light Runabouts—Light Loads	3	8 x 5½	315858	PJ6	24.00	012003			
4-4½-6-7½-8 HP	80-83	Heavy Bts., Sailboats	3	8 x 7	391096	PJ47	43.00	012031			
		Standard Replacement	3	8½x 9	390237	PJ49	43.00	012032			
5½-6 HP	54-65	16'-14' Bts.—Light Loads	3	7¾x 6½		AM431	39.00	012067			
5 HP	66-68	14'-12' Bts.—Light Loads	2	8 x 7¼	376968	PJ300	24.00	012060			
5 HP	65-68	14'-12' Bts.—Light Loads	3	8 x 7½	380104	PJ7	26.00	012004			
6 HP	66-75	14'-12' Bts.—Light Loads	2	8 x 7¼	386955	PJ8	29.00	012005			
6 HP	76-79	Sailboats	3	8 x 4½		AMC424	40.00	012069			
		16'-14' Bts.—Light Loads	3	7¾x 6½		AMC422	40.00	012068			
9½-10 HP	64-73	24'-20' Bts.—Sailboats	3	8¼x 6½		SMC12	50.00	012100			
10-12-14 HP Commercial & Workhorse	82 Thru	16'-14' Bts.—All Loads, Skis	3	8¼x 8	383315	PJ11	36.00	012008			
		16'-14' Runabouts	3	8¼x 9	391534	SMC18	44.00	012101			
		14'-12' Bts.—Light Loads	3	8¼x 8½	377635	PJ10	36.00	012007			
9.9-15 HP Thru Hub Exhaust	74 Thru	Heavy Bts., Sailboats	3	10 x 5	386669	PJ28	60.00	012020			
		16'-14' Bts.—All Loads, Skis	3	10 x 7	398126	PJ26	60.00	012018			
		Standard Replacement	3	9½x10	386118	PJ25	60.00	012017	SMC7	\$126.00	016010
		Weedless	2	9 x10	386670	PJ27	60.00	012019			
10 HP	51-57	14'-12' Bts.—All Loads	3	9 x 8	277595	PJ9	42.00	012006			
15 HP	53-56	Cruisers, Houseboats, Sailboats	3	9¼x 7	388294	SMC39	54.00	012102			
18 HP	57-73	18'-16' Bts.—Heavy Loads	3	9 x 8		PJ21	41.00	012014			
20 HP	69-73	17'-16' Bts.—All Loads, Skis	4	9 x 9		AMC448	74.00	012072			
25 HP Pin Drive	69-77	Weedless	3	9 x10	592959	EWC19	52.00	012076			
		17'-16' Bts.—All Loads, Skis	3	8¾x11		PR20	52.00	012079			
		16'-14' Bts.—All Loads, Skis	3	8¾x12		PR22	52.00	012080			
		16'-14' Bts.—Light Loads	3	8¾x13		PR24	52.00	012081			
		16'-14' Bts.—Heavy Loads	3	9 x 9	379717	PJ19	41.00	012109			
		14'-12' Bts.—Light Loads	3	8¾x14		PR26	52.00	012082			
		14'-12' Bts.—Heavy Loads	3	9 x10	383629	PJ16	41.00	012011			
		14'-12' Bts.—Light Loads	3	9¼x11	388088	PJ18	42.00	012013			
		14'-12' Bts.—Light Loads	3	9¼x12		PJ15	42.00	012010			
		Light Runabouts—Light Loads	2	9¼x12		AJC418	58.00	012064	AJC417	83.00	016013
25 HP	51-55	Barges, Extra Heavy Boats	3	10½x 8		SMC47	69.00	012063			
28 HP	62-64	Cruisers, Houseboats, Sailboats	3	10½x10		PJ41	52.00	012027			
30 HP	56	24'-20' Cruisers—One Engine	3	10¼x10		PR90	71.00	012083			
33 HP	65-70	24'-20' Bts.—One Engine	3	11 x10		AMC384	54.00	012110			
35 HP	57-59	19'-17' Bts.—All Loads, Skis	3	10¾x11½	378581	PJ31	52.00	012023			
40 HP	60-76	19'-17' Bts.—All Loads, Skis	3	10¼x11		PR92	71.00	012084			
40 HP Commercial & Workhorse Pin Drive	78-85	19'-17' Bts.—All Loads, Skis	4	10 x11		AMC444	83.00	012070			
		17'-16' Bts.—All Loads, Skis	3	10¼x12		PR94	71.00	012085	PR95	105.00	016004
		17'-16' Bts.—All Loads, Skis	4	10 x12		AMC445	83.00	012071			
		16'-14' Bts.—All Loads, Skis	3	10¼x13		PR96	71.00	012086	PR97	105.00	016005
		16'-14' Bts.—All Loads, Skis	3	10¾x12½	378580	PJ30	52.00	012022			
		16'-14' Bts.—All Loads, Skis	3	10½x12	380637	PJ32	52.00	012024			
		16'-14' Bts.—Light Loads	3	10¾x13¼	378579	PJ35	52.00	012025			
		16'-14' Bts.—Light Loads	3	10½x13	384460	PJ42	52.00	012028			
		14'-12' Bts.—Light Loads	3	10¾x14	378571	PJ40	52.00	012026			
		14'-12' Bts.—Light Loads	2	10½x16		AJC469	74.00	012065			
25 HP	78-84	Cruisers, Houseboats, Sailboats	3	9¼x 7	389067	PJ13	42.00	012009	SMC34	83.00	016011
25 HP Commercial & Workhorse Spine Drive	78 Thru	19'-17' Bts.—All Loads, Skis	3	9 x 8		PJ44	42.00	012029			
		18'-16' Bts.—Heavy Loads	3	9 x 9	389068	PJ29	42.00	012021			
		Weedless	3	9 x10		EWC29	52.00	012078			
		17'-16' Bts.—All Loads, Skis	3	8¾x11		PR420	52.00	012095	PR421	80.00	016006
		17'-15' Bts.—All Loads, Skis	3	9 x10	389069	PJ22	42.00	012015			
		17'-14' Bts.—All Loads, Skis	3	9¼x11	388883	PJ24	42.00	012016			
		17'-14' Bts.—Light Loads	3	9¼x12	389944	PJ45	42.00	012030			
		16'-14' Bts.—All Loads, Skis	3	8¾x12		PR422	52.00	012096	PR423	80.00	016007
		16'-14' Bts.—Light Loads	3	8¾x13		PR424	52.00	012097	PR425	80.00	016008
		14'-12' Bts.—Light Loads	3	8¾x14		PR426	52.00	012098			
		Light Runabouts—Light Loads	2	9¼x12		AJC318	58.00	012062	AJC317	83.00	016002
20 HP	84 Thru	Cruisers, Houseboats	3	11¼x 7	387320	PJ94	68.00	012053			
25 HP	84 Thru	20'-17' Bts.—All Loads, Skis	3	11 x 9	386317	PJ95	68.00	012054			
28 HP	84 Thru	18'-16' Bts.—All Loads, Skis	3	10½x11	386637	PJ96	68.00	012055			
30 HP	84 Thru	17'-15' Bts.—All Loads, Skis	3	10 x13	386933	PJ97	68.00	012056			
35 HP Thru Hub Exhaust	76-83	15'-13' Bts.—All Loads, Skis	3	10 x15	390380	PJ98	68.00	012057			

*Engines being offered in European market only.

Motor & Model	Year	Boat Size & Recommendation	Blds.	Dia. & Pitch	Nearest OMC Equiv.	ALUMINUM			SUPER-PROP STAINLESS STEEL			
						Michigan Part No.	Price	Numeric	Nearest OMC Equiv.	Michigan Part No.	Price	Numeric
50 HP V-4 Pin Drive	58-59	Cruisers, Houseboats, Sailboats	3	13 x 8		PJ51	\$ 92.00	012034				
		24'-20' Bts.—All Loads	3	13 x10		PJ53	92.00	012035				
		16'-14' Bts.—All Loads, Skis	3	12 ¹ / ₆ x14	278155	PJ50	73.00	012033				
40 HP 2 Cyl.	84 Thru	Cruisers, Houseboats	3	13 x11	386907	PJ58	83.00	012036				
48 HP	87 Thru	18'-15' Bts.—All Loads, Skis	3	12 ¹ / ₂ x13	386909	PJ59	83.00	012037				
50 HP 2 Cyl.	75 Thru	17'-14' Bts.—All Loads, Skis	3	12 ¹ / ₄ x15	386786	PJ60	83.00	012038	390850	SS0315C	\$322.00	013010
55 HP 2 Cyl.	76-79	15'-13' Bts.—Light Loads	3	11 ³ / ₄ x17	386841	PJ61	83.00	012039				
60 HP 2 Cyl.	80-85	14'-12' Bts.—Light Loads	3	11 ¹ / ₂ x19	386908	PJ62	83.00	012040				
75 HP 3 Cyl. Sprint, Formula E Small Gear Case Thru Hub Exhaust	86 Thru											
45 HP Commercial & Workhorse	86 Thru	Cruisers, Houseboats	4	14 x10		DQ320	129.00	012074				
50 HP 2 Cyl.	71-74	Cruisers, Houseboats	3	14 x11	382761	PJ87	87.00	012047				
50 HP 2 Cyl.*	77-79	Cruisers, Houseboats	3	14 x13	382762	PJ79	87.00	012048				
55 HP 2 Cyl.* Commercial & Workhorse	80 Thru	22'-19' Bts.—All Loads	4	14 x12	391668	PJ88C	96.00	011001				
55 HP 3 Cyl.	68-69	19'-17' Bts.—All Loads, Skis	3	13 ³ / ₄ x15	382763	PJ80	87.00	012049				
60 HP 3 Cyl.	70-71	19'-17' Bts.—All Loads, Skis	3	13 ³ / ₄ x15	391198	PJ89C	96.00	011002	389949	SS0515-II-C	307.00	013011
60 HP 3 Cyl.	86 Thru	18'-15' Bts.—All Loads, Skis	3	13 ¹ / ₄ x17	382764	PJ81	87.00	012050				
65 HP 3 Cyl.	72-73	18'-15' Bts.—All Loads, Skis	3	13 ¹ / ₄ x17	391199	PJ90C	96.00	011003	389948	SS0517-II-C	307.00	013012
65 HP Commercial & Workhorse	84 Thru	16'-14' Bts.—All Loads, Skis	3	13 x19	382765	PJ82	87.00	012051				
70 HP Lg. Gear Case	74 Thru	16'-14' Bts.—All Loads, Skis	3	13 x19	390896	PJ91C	96.00	011004	389510	SS0519-II-C	307.00	013013
75 HP All Thru-Hub Exhaust	75-84	16'-14' Bts.—Light Loads	3	13 x21	389788	PJ83C	96.00	011005	389512	SS0521-II-C	307.00	013014
60,65,75,80, V-4	60-68	24'-20' Bts.—One Engine	3	10 ¹ / ₂ x 8		SMC864	70.00	012107				
85, 90, HP V-4 †Small Hub Prop —uses special small nut— Part No. NP74 \$11.00 Pin Drive		19'-17' Bts.—All Loads, Skis	3	10 x 9 ¹ / ₄	379260	PJ74	54.00	012042				
		19'-17' Bts.—All Loads, Skis	3	9 ¹ / ₂ x10	593437	PJ78	59.00	012046				
		19'-17' Bts.—All Loads, Skis	3	10 ¹ / ₄ x 9		SMC862	70.00	012106				
		19'-17' Bts.—All Loads, Skis	3	10 ¹ / ₄ x10	378040	PJ75	59.00	012043				
		17'-16' Bts.—All Loads, Skis	3	10 x11	381446	PJ73	54.00	012041				
		17'-16' Bts.—All Loads, Skis	3	10 x11	377978	PJ76	56.00	012044				
		16'-14' Bts.—All Loads, Skis	3	10 x12	378039	PJ77	56.00	012045				
100 HP V-4 Pin Drive	66-68	24'-20' Bts.—One Engine	3	14 x11	382676	PR115	137.00	012089				
		24'-20' Bts.—One Engine	3	14 x12	382017	PR118	137.00	012090				
		19'-17' Bts.—All Loads, Skis	3	13 x14	381442	PR105	137.00	012087				
		16'-14' Bts.—All Loads, Skis	3	12 ¹ / ₂ x16	381020	PR109	137.00	012088				
85 HP V-4	69-80	Cruisers, Houseboats	4	14 x10		DQ320	129.00	012074				
88 HP	81 Thru	Cruisers, Houseboats	4	14 x12		DQ328	129.00	012075				
90 HP V-4	81 Thru	Cruisers, Houseboats	3	14 x11	382761	PJ87	87.00	012047				
100 HP V-4	79-80	Cruisers, Houseboats	3	14 x13	382762	PJ79	87.00	012048				
100 HP V-4	86 Thru	Cruisers, Houseboats	3	14 x13	391668	PJ88C	96.00	011001				
110 HP	86 Thru	Cruisers, Houseboats	3	14 x13	391668	PJ88C	96.00	011001				
115 HP V-4	73-85	24'-20' Bts.	3	13 ³ / ₄ x15	382763	PJ80	87.00	012049				
120 HP V-4	86 Thru	24'-20' Bts.	3	13 ³ / ₄ x15	391198	PJ89C	96.00	011002	389949	SS0515-II-C	307.00	013011
125 HP V-4	71-72	22'-19' Bts.—All Loads	3	13 ¹ / ₄ x17	382764	PJ81	87.00	012050				
135 HP V-4	73-76	22'-19' Bts.—All Loads	3	13 ¹ / ₄ x17	391199	PJ90C	96.00	011003	389948	SS0517-II-C	307.00	013012
140 HP V-4	77-84	19'-17' Bts.—All Loads, Skis	3	13 x19	382765	PJ82	87.00	012051				
140 HP V-4 Thru-Hub Exhaust	86 Thru	19'-17' Bts.—All Loads, Skis	3	13 x19	390896	PJ91C	96.00	011004	389510	SS0519-II-C	307.00	013013
		18'-15' Bts.—All Loads, Skis	3	13 x21	389788	PJ83C	96.00	011005	389512	SS0521-II-C	307.00	013014
100 HP V-4 Commercial & Workhorse	84 Thru	Cruisers, Houseboats	3	15 ¹ / ₂ x10		PJ199C	158.00	011015				
		Cruisers, Houseboats	3	15 ¹ / ₂ x13	387158	PJ200	113.00	012059				
120-140 HP V-4	85	Cruisers, Houseboats	3	15 ¹ / ₂ x13	391536	PJ200C	113.00	011016				
150 HP V-6	78 Thru	Cruisers, Houseboats	3	15 ¹ / ₂ x15	391535	PJ201C	113.00	011006				
155 HP V-6 Commercial & Workhorse	84 Thru	Cruisers, Houseboats	3	14 ¹ / ₂ x15						SS0645C	361.00	013001
175 HP V-6	77 Thru	26'-20' Bts.—All Loads, Skis	3	15 x17	391200	PJ202C	113.00	011007				
185 HP V-6	84-85	26'-20' Bts.—All Loads, Skis	3	14 ¹ / ₂ x17					391290	SS0647C	361.00	013002
200 HP V-6	76 Thru	22'-18' Bts.—All Loads, Skis	3	14 ¹ / ₂ x19	391201	PJ203C	113.00	011008				
225 HP V-6	86 Thru	22'-18' Bts.—All Loads, Skis	3	14 x19					389924	SS0649C	361.00	013003
235 HP V-6	78-85	19'-17' Bts.—All Loads, Skis	3	14 ¹ / ₄ x21	391202	PJ204C	113.00	011009				
26L V-6		19'-17' Bts.—All Loads, Skis	3	13 ³ / ₄ x21					389923	SS0651C	361.00	013004
275 HP V-8	85 Thru	18'-15' Bts.—All Loads, Skis	3	14 ¹ / ₄ x23	391203	PJ205C	113.00	011010				
36L V-8 Thru-Hub Exhaust		18'-15' Bts.—All Loads, Skis	3	13 ¹ / ₂ x23					389019	SS0653C	361.00	013005

* If currently using uncupped prop, use cupped prop having 2" less pitch. Boats with power trim use same pitch.
 • 2 1/2" of skeg must be removed for proper fit. Use thrust washer 333592.

Why Stainless Steel?

For the ultimate in longevity, choose a Michigan Wheel stainless steel prop. A Michigan Wheel stainless steel prop is five times stronger

than aluminum props. And only Michigan Wheel provides a bright mirror finish on every stainless steel prop, for beauty as well as corrosion-resistance.

OMC OUTBOARD ("Heavy-Duty Special" Hard to Plane Boats)

Motor & Model	Year	Boat Size (Speed MPH)	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
120-140 HP V-4 Thru-Hub Exhaust	86 Thru	26'-24' Twin (36-45)	S.S.	3	15 x19	SSO819C	\$403.00	013016
		24'-22' Single (33-40)	S.S.	3	15 1/4x17	SSO817C	403.00	013015
		24'-22' Twin (36-45)	S.S.	3	15 x19	SSO819C	403.00	013016
		22'-20' Single (36-45)	S.S.	3	15 x19	SSO819C	403.00	013016
		22'-20' Twin (39-50)	S.S.	3	14 1/2x21	SSO821C	403.00	013017
150-235 HP V-6 Thru-Hub Exhaust	78 Thru	21'-18' Single (39-50)	S.S.	3	14 1/2x21	SSO821C	403.00	013017
		32'+ Twin (35-45)	S.S.	3	15 1/4x17	SSO817C	403.00	013015
		28'-24' Single (35-45)	S.S.	3	15 1/4x17	SSO817C	403.00	013015
		28'-24' Twin (40-48)	S.S.	3	15 x19	SSO819C	403.00	013016
		24'-22' Single (40-48)	S.S.	3	15 x19	SSO819C	403.00	013016
275 HP-3.6 GT V-8 Thru-Hub Exhaust	85 Thru	24'-22' Twin (45-53)	S.S.	3	14 1/2x21	SSO821C	403.00	013017
		22'-20' Single (45-53)	S.S.	3	14 1/2x21	SSO821C	403.00	013017
		32'+ Twin (38-45)	S.S.	3	15 1/4x17	SSO817C	403.00	013015
		30'-26' Single (38-45)	S.S.	3	15 1/4x17	SSO817C	403.00	013015
		28'-24' Twin (43-45)	S.S.	3	15 x19	SSO819C	403.00	013016
		24'-22' Single (43-45)	S.S.	3	15 x19	SSO819C	403.00	013016
		28'-24' Twin (48-60)	S.S.	3	14 1/2x21	SSO821C	403.00	013017
		22'-20' Single (48-60)	S.S.	3	14 1/2x21	SSO821C	403.00	013017

High Performance Propellers

STAINLESS STEEL

Model	Year	Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
V-4		36-46	394758	S.S.	3	13 1/4x17		\$365.00	013027
85 HP	69-80	42-52	394759	S.S.	3	13 1/4x19		365.00	013029
89-90 HP	81 Thru								
100 HP	79-80	48-58	394760	S.S.	3	13 1/4x21		365.00	013031
110 HP	86 Thru								
115 HP	73-85								
120 HP	86-88								
125 HP	71-72								
135 HP	73-76								
140 HP	77-84								
140 HP	86 Thru								

THE EDGE™ (High Performance Propellers)

STAINLESS STEEL

Model	Year	Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
150-235 HP	76 Thru	42-52	394753	S.S.	3	14 1/4x20		\$407.00	013006
V-6		46-57	394754	S.S.	3	14 1/4x22	SSO922C	407.00	013007
XP150, GT150		50-63	394755	S.S.	3	14 1/4x24	SSO924C	407.00	013008
		54-70	394756	S.S.	3	14 1/4x26	SSO926C	407.00	013009
2.6 XP	84 Thru	51-63	394754	S.S.	3	14 1/4x22	SSO922C	407.00	013007
2.6 GT		55-66	394755	S.S.	3	14 1/4x24	SSO924C	407.00	013008
		60-72+	394756	S.S.	3	14 1/4x26	SSO926C	407.00	013009

TOHATSU, NISSAN

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	ALUMINUM			STAINLESS STEEL		
					Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric
40 HP	84 Thru	24'-20' Bts.—All Loads	3	10 1/4x10	PR333C	\$ 89.00	031006			
		19'-17' Bts.—All Loads	3	10 1/4x11	PR335C	89.00	031007			
		17'-16' Bts.—All Loads	3	10 1/4x12	PR337C	89.00	031008			
		16'-14' Bts.—All Loads	3	10 1/4x13	PR339C	89.00	031009			
		16'-14' Bts.—All Loads	3	10 1/4x15	PR343C	89.00	031010			
		14'-12' Bts.—All Loads	3	10 3/4x17	PR345C	89.00	031011			
55-70 HP	84 Thru	Cruisers, Houseboats	3	13 x11	PJ58C	91.00	011018			
		18'-15' Bts.—All Loads, Skis	3	12 1/2x13	PJ59C	91.00	011019			
		17'-14' Bts.—All Loads, Skis	3	12 1/4x15	PJ60C	91.00	011020	SS0315C	\$322.00	013010
		15'-13' Bts.—All Loads, Skis	3	11 3/4x17	PJ61C	91.00	011021			
		14'-12' Bts.—All Loads, Skis	3	11 1/2x19	PJ62C	91.00	011022			

McCULLOCH, SCOTT, AERO

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	ALUMINUM			BRONZE		
					Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric
3 1/2-4 HP	46-73	Standard Replacement	2	7 3/8x 6	SA10	\$ 38.00	152030			
7 1/2 HP Weedless	60-73	14'-12' Bts.—Light Loads	3	6 x 6	SAC371	54.00	152034			
		Light Runabouts—Light Loads	2	6 x 8	AJC63	40.00	152001			
12-14.1 HP	60-67	Standard Replacement	3	8 1/4x 8 1/2	AMC535	43.00	152003			
22-25-27.7-28 HP	58-67	16'-14' Bts.—Light Loads	3	9 x10	PS25	62.00	152020			
40-43.7-45 HP Right-Hand Prop	59-69	19'-17' Bts.—All Loads, Skis	3	10 x10	SMC635	70.00	152035			
		17'-16' Bts.—All Loads, Skis	3	10 x11	SMC637	70.00	152036			
		16'-14' Bts.—All Loads, Skis	3	10 x12	PS40	66.00	152021			
60-75.2 HP	58-69	24'-20' Bts.—One Engine	3	11 1/2x10	PS74	78.00	152026			
		19'-17' Bts.—All Loads, Skis	3	11 1/2x11	PS73	78.00	152025			
		17'-16' Bts.—All Loads, Skis	3	11 1/2x12	PS71	78.00	152023			
		16'-14' Bts.—All Loads, Skis	3	11 1/2x13	PS72	78.00	152024			

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	ALUMINUM			SUPER-PROP STAINLESS STEEL				
					Nearest Mariner Equiv.	Michigan Part No.	Price	Numeric	Nearest Mariner Equiv.	Michigan Part No.	Price	Numeric
8 HP	76-84	24'-20' Bts.—Sailboats	3	8¼x 6½	48-11674M	SMC12	\$ 50.00	012100				
		16'-14' Bts.—All Loads, Skis	3	8¼x 8	48-11672M	PJ11	36.00	012008				
		16'-14' Bts.—Light Loads	3	8¼x 9		SMC18	44.00	012101				
15A 20 HP 25 HP	76-77 76-78 77-78	Houseboats, Sailboats	3	9¼x 7	48-82767	SMC39	54.00	012102				
		14'-12' Bts.—Heavy Loads	3	9 x10	48-82768	PJ16	41.00	012011				
		14'-12' Bts.—All Loads, Skis	3	9¼x11	48-82769	PJ18	42.00	012013				
		14'-12' Bts.—Light Loads	3	9¼x12	48-82770	PJ15	42.00	012010				
20-25 HP Thru-Hub Exhaust	85 Thru	19'-15' Bts.	3	10¾x11	48-43584A40	PM24C	77.00	031049				
		17'-13' Bts.	3	10¾x13	48-43586A40	PM23C	77.00	031048				
		Up to 14' Bts.	3	10¼x14½	48-43590A40	PM22C	77.00	031047				
25 HP 28 HP 30 HP Flow-Thru Exhaust	80-84 76-78 79 Thru	18'-16' Bts.—All Loads, Skis	3	9¾x 9	48-81647	PM39	64.00	022001				
		17'-14' Bts.—All Loads, Skis	3	9¾x10½	48-81649	PM40	64.00	022002				
		16'-13' Bts.—Light Loads	3	9¾x12	48-82826	PM42	64.00	022003				
		20'-18' Bts.—All Loads	3	11¾x 8¾	48-83573	PM62	79.00	022006				
W40 HP For Non "Thru- Prop" Exhaust	77-78	17'-16' Bts.—All Loads, Skis	3	11¾x10	48-83552	PM61	79.00	022005				
		17'-15' Bts.—Light Loads	3	11½x12	48-83535	PM60	79.00	022004				
		22'-19' Bts.—All Loads	3	11¼x10	48-73132A4	PM600C	96.00	031015				
40 HP W48 HP 60 HP 70 HP All Thru-Hub Exhaust	79 Thru All Yrs. 77 Thru 78-83	18'-15' Bts.—All Loads, Skis	3	10¾x12	48-73134A4	PM612C	96.00	031016				
		17'-16' Bts.—All Loads, Skis	3	10¾x13	48-73136A4	PM613C	96.00	031017	48-79792A4	SSM212C	\$279.00	033001
		16'-14' Bts.—Light Loads	3	10¼x14	48-73138A4	PM614C	96.00	031018				
		15'-13' Bts.—Light Loads	3	10½x15	48-73140A4	PM615C	96.00	031019				
		15'-12' Bts.—Light Loads	3	10 x17	48-73144A4	PM617C	96.00	031020				
		22'-19' Bts.—All Loads	3	12¼x10	48-61812A1	PM530	96.00	032045				
60 HP	76	19'-17' Bts.—All Loads, Skis	3	12 x11	48-61814A1	PM527	96.00	032044				
		18'-15' Bts.—All Loads, Skis	3	11¾x12	48-61816A1	PM524	96.00	032043				
		17'-16' Bts.—All Loads, Skis	3	11½x13	48-61818A1	PM521	96.00	032042				
		16'-14' Bts.—Light Loads	3	11¼x14	48-61820A1	PM518	96.00	032041				
		15'-13' Bts.—Light Loads	3	11 x15	48-61822A1	PM515	96.00	032040				
		14'-12' Bts.—Light Loads	3	10¾x16	48-61824A1	PM513	96.00	032039				
		24'-20' Bts.	3	13 x13	48-58826	PR153	98.00	032090				
		22'-19' Bts.—All Loads	3	13 x15	48-32390	PR155	98.00	032091				
		22'-19' Bts.—All Loads	3	13 x15		PR155C	105.00	031001				
		22'-19' Bts.—All Loads	3	13¾x15								
		19'-17' Bts.—All Loads, Skis	3	13 x17	48-65022	PR157	98.00	032092				
		19'-17' Bts.—All Loads, Skis	3	13 x17		PR157C	105.00	031002				
19'-17' Bts.—All Loads, Skis	3	13¼x17					48-72764A4	SSM617-II-C	318.00	033017		
17'-16' Bts.—All Loads, Skis	3	13 x19	48-65024	PR159	98.00	032093						
17'-16' Bts.—All Loads, Skis	3	13 x19		PR159C	105.00	031003						
18'-15' Bts.—All Loads, Skis	3	13 x21	48-62780	PR161	98.00	032094						
18'-15' Bts.—All Loads, Skis	3	13 x21		PR161C	105.00	031004						
16'-14' Bts.—All Loads, Skis	3	13 x23	48-65736	PR163	98.00	032095						
16'-14' Bts.—All Loads, Skis	3	13 x23	48-65736	PR163C	105.00	031005						
75 HP In Line 4 Cyl.	84 Thru	24'-20' Bts.—All Loads, Skis	3	13¾x15	48-77342A4	PM315C	104.00	031041				
80 HP In Line 4 Cyl.	78-83	19'-17' Bts.—All Loads, Skis	3	13¼x17	48-77344A4	PM317C	104.00	031042	48-72764A4	SSM617-II-C	318.00	033017
80-140 HP	78-79	18'-16' Bts.—All Loads, Skis	3	13 x19	48-77346A4	PM319C	104.00	031043	48-72762A4	SSM619-II-C	318.00	033018
90 HP	82 Thru	18'-15' Bts.—All Loads, Skis	3	12¾x21	48-77348A4	PM321C	104.00	031044				
115 HP In Line 6 Cyl.	78 Thru	18'-15' Bts.—All Loads, Skis	3	13 x21					48-72500A4	SSM621-II-C	318.00	033019
*Use Thrust Washer 75282		16'-14' Bts.—All Loads, Skis	3	12½x23	48-77350A4	PM323C	104.00	031045				
135 HP V-6 150 HP V-6 175 HP V-6 200 HP V-6 220 HP Magnum EFI *Use Thrust Washer 77987	86 Thru 79 Thru 78 Thru 79 Thru 87 Thru	30'+(40-45MPH) Sgl. or Twin	3	15¼x17								
		30'-28'(45-50MPH) Sgl. or Twin	3	15 x19								
		28'-24'(50-55MPH) Sgl. or Twin	3	14½x21								
		Cruisers, Houseboats	3	16 x11	48-78112A4	PM211C	119.00	031021				
		Cruisers, Houseboats	3	16 x13	48-78114A4	PM213C	119.00	031022				
		Cruisers, Houseboats	3	15¼x15	48-78116A4	PM215C	119.00	031023				
		Cruisers, Houseboats	3	14½x15					48-93272A4	SSM245C	351.00	033002-1
		Cruisers, Houseboats	3	14½x17	48-78118A4	PM217C	119.00	031024	48-79794A4	SSM247C	351.00	033003-1
		Cruisers, Houseboats	3	14 x19	48-78120A4	PM219C	119.00	031025	48-73980A4	SSM249C	351.00	033004-1
		20'-19' Bts.—All Loads, Skis	3	13¾x21	48-78122A4	PM221C	119.00	031026	48-73982A4	SSM251C	351.00	033005-1
20'-18' Bts.—All Loads, Skis	3	13½x23	48-78124A4	PM223C	119.00	031027	48-75724A4	SSM253C	351.00	033006-1		

THE EDGE™ (High Performance Propellers)

STAINLESS STEEL

Model	Year	Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
150 HP V-6	76 Thru	42-52		SS	3	14¼x20			
		46-57	48-11070-A4	SS	3	14¼x22	SSM822C	\$403.00	033012
		50-63	48-11074-A4	SS	3	14¼x24	SSM824C	403.00	033013
		54-70	48-11078-A4	SS	3	14¼x26	SSM826C	403.00	033014
200 HP V-6	78 Thru	53-58	48-11070-A4	SS	3	14¼x22	SSM822C	403.00	033013
		57-63	48-11074-A4	SS	3	14¼x24	SSM824C	403.00	033014
		62-70	48-11078-A4	SS	3	14¼x26	SSM826C	403.00	033015

†Requires High Performance Trim Tab C46399A1 For Proper Fit.

Motor & Model	Year	Boat Size & Recommendation	Blds.	Dia. & Pitch	Nearest Merc. Equiv.	ALUMINUM			SUPER-PROP STAINLESS STEEL				
						Michigan Part No.	Price	Numeric	Nearest Merc. Equiv.	Michigan Part No.	Price	Numeric	BRONZE
40 45	73-75 73-81	Standard Replacement	2	8 1/4 x 6	48-63494A1	PM8	\$ 42.00	032014					
39-40	68-72	Standard Replacement	2	8 1/4 x 6	48-47940A1	PM16	52.00	032017					
39	64-67	Standard Replacement	2	8 x 6	48-31214A1	PM4	44.00	032012					
60	68	Standard Replacement	2	7 7/8 x 8	48-47938A1	PM18	49.00	032018					
60	61-67	16'-14' Bts.—All Loads	2	8 x 6	48-31214A1	PM4	44.00	032012					
		Standard Replacement	2	8 x 8	48-31105A1	PM6	44.00	032013					
Mark 28, 28A, 200-250	58-62	16'-14' Bts.—All Loads, Skis	3	9 1/4 x 9	48-28037A1	PM27	64.00	032025					
		16'-14' Bts.—Light Loads	2	9 1/2 x 11	48-28036A1	PM28	64.00	032027					
		14'-12' Bts.—Light Loads	2	9 1/2 x 12	48-28038A1	PM29	64.00	032028					
Mark 30	56-58	16'-14' Bts.—All Loads, Skis	3	9 1/2 x 10		AMC506	92.00	032074					
Merc 7.5, 9.8, 110	68 Thru 68-79	Standard Replacement	2	9 x 9	48-47922A1	PM21	39.00	032021					
		Light Runabouts—Light Loads	2	9 x 10	48-47926A1	PM19	38.00	032019					
		16'-14' Bts.—All Loads, Skis	3	9 x 7	48-47670A1	PM20	58.00	032020					
Merc 110	62-67	16'-14' Bts.—All Loads, Skis	2	9 x 9	48-32364A1	PM11	43.00	032016					
		14'-12' Bts.—Light Loads	2	9 x 10	48-31504A1	PM10	43.00	032015					
Merc 20	63-81	16'-14' Bts.—All Loads, Skis	3	9 1/4 x 9	48-33482A1	PM26	58.00	032111					
		Standard Replacement	2	10 x 11		PM30	56.00	032112					
18 HP 20 HP 25 HP Thru-Hub Exhaust	80-85 86 Thru 80 Thru	19'-15' Bts.	3	10 3/8 x 11	48-43584A40	PM24C	77.00	031049					
		17'-13' Bts.	3	10 3/8 x 13	48-43586A40	PM23C	77.00	031048					
		Up to 14' Bts.	3	10 1/4 x 14 1/2	48-43590A40	PM22C	77.00	031047					
Mark 35A, Mark 50, 55, Mark 58, 58A, 300, 350, 400, 500, All 11 Spline	56-61	17'-16' Bts.—All Loads, Skis	3	10 x 10	48-22575A2	AMC580S	99.00	032077					
		16'-14' Bts.—All Loads, Skis	3	10 x 11		AMC577S	99.00	032075					
		16'-14' Bts.—All Loads, Skis	2	10 1/4 x 10	48-29985A2	PM56	75.00	032035					
		16'-14' Bts.—Light Loads	2	10 1/4 x 12	48-22914A2	PM55	75.00	032034					
		14'-12' Bts.—Light Loads	2	10 1/4 x 13	48-29986A2	PM54	75.00	032033					
300, 350 400, 450, 500 Prop Exhaust	62-69	Cruisers, Houseboats, Sailboats	3	10 1/4 x 9	48-32194A1	PR31	80.00	032083					
		19'-17' Bts.—All Loads, Skis	3	10 1/4 x 10	48-33774A1	PR33	80.00	032084					
		17'-16' Bts.—All Loads, Skis	3	10 1/4 x 11	48-38098A1	PR35	80.00	032085					
		16'-14' Bts.—All Loads, Skis	3	10 1/4 x 12	48-38094A1	PR37	80.00	032086					
		16'-14' Bts.—Light Loads	3	10 1/4 x 13	48-38090A1	PR39	80.00	032087					
		14'-12' Bts.—Light Loads	3	10 1/4 x 15	48-38086A1	PR43	80.00	032088					
400-402-500 Prop Exhaust	70-73	24'-20' Bts.—All Loads	3	10 1/4 x 10	48-56246A1	PR333	81.00	032096					
		19'-17' Bts.—All Loads, Skis	3	10 1/4 x 11	48-56244A1	PR335	81.00	032097					
		17'-16' Bts.—All Loads, Skis	3	10 1/4 x 12	48-56240A1	PR337	81.00	032098					
		16'-14' Bts.—All Loads, Skis	3	10 1/4 x 13	48-56236A1	PR339	81.00	032099					
		16'-14' Bts.—Light Loads	3	10 1/4 x 15	48-56232A1	PR343	81.00	032100					
		14'-12' Bts.—Light Loads	3	10 3/4 x 17	48-56230A1	PR345	81.00	032101					
402-500 650	74-76 72-76	22'-19' Bts.—All Loads	3	12 1/4 x 10	48-61812A1	PM530	96.00	032045					
		19'-17' Bts.—All Loads, Skis	3	12 x 11	48-61814A1	PM527	96.00	032044	48-63548A1	SMC439	\$142.00	036009	
		17'-16' Bts.—All Loads, Skis	3	11 3/4 x 12	48-61816A1	PM524	96.00	032043	48-63546A1	SMC438	142.00	036008	
		18'-15' Bts.—All Loads, Skis	3	11 1/2 x 13	48-61818A1	PM521	96.00	032042	48-63544A1	SMC437	142.00	036007	
		16'-14' Bts.—Light Loads	3	11 1/4 x 14	48-61820A1	PM518	96.00	032041	48-63542A1	SMC436	142.00	036006	
		15'-13' Bts.—Light Loads	3	11 x 15	48-61822A1	PM515	96.00	032040	48-63540A1	SMC435	142.00	036005	
		14'-12' Bts.—Light Loads	3	10 3/4 x 16	48-61824A1	PM513	96.00	032039	48-63538A1	SMC434	142.00	036004	
402-500-700 (Use 1" less Pitch for 402)	77-84	19'-17' Bts.—All Loads, Skis	3	11 1/4 x 10	48-73132A4	PM600C	96.00	031015					
35 HP 40 HP 45 HP 50 HP 60 HP 70 HP Thru-Hub Exhaust	84 Thru 79-83 86 Thru 79 Thru 79-83 Thru 84	18'-16' Bts.—All Loads, Skis	3	10 5/8 x 12	48-73134A4	PM612C	96.00	031016					
		18'-16' Bts.—All Loads, Skis	3	10 1/4 x 12					48-79792A4	SSM212C	279.00	033001	
		17'-15' Bts.—All Loads, Skis	3	10 3/8 x 13	48-73136A4	PM613C	96.00	031017					
		17'-14' Bts.—All Loads	3	10 1/4 x 14	48-73138A4	PM614C	96.00	031018					
		16'-14' Bts.—Light Loads	3	10 1/8 x 15	48-73140A4	PM615C	96.00	031019					
		15'-13' Bts.—Light Loads	3	10 x 17	48-73144A4	PM617C	96.00	031020					
650 4 Cyl. (2:1)	61-70	24'-20' Bts.	4	14 x 10		**DQ430	127.00	**032078					
70 HP 800-850 6 Cyl. 900-1150 (All 1.78:1 Gear)	87 Thru Thru 72 77-84	24'-20' Bts.	3	13 x 11	48-35936A3	**PR151	98.00	**032089					
		22'-19' Bts.	3	13 x 13	48-32392A3	**PR153	98.00	**032090					
		19'-17' Bts.—All Loads, Skis	3	13 x 15	48-32390A3	**PR155	98.00	**032091					
		19'-17' Bts.—All Loads, Skis	3	13 3/4 x 15		**PR155C	105.00	**031001					
		17'-16' Bts.—All Loads, Skis	3	13 x 17	48-32264A3	**PR157	98.00	**032092					
		17'-16' Bts.—All Loads, Skis	3	13 1/4 x 17		**PR157C	105.00	**031002	48-72764A4	†SSM617-II-C	318.00	*033017	
		18'-15' Bts.—All Loads, Skis	3	13 x 19	48-32750A3	**PR159	98.00	**032093					
		18'-15' Bts.—All Loads, Skis	3	13 x 19		**PR159C	105.00	**031003	48-72762A4	†SSM619-II-C	318.00	*033018	
		16'-14' Bts.—All Loads, Skis	3	13 x 21	48-32746A3	**PR161	98.00	**032094					
		16'-14' Bts.—All Loads, Skis	3	13 x 21		**PR161C	105.00	**031004	48-72500A4	†SSM621-II-C	318.00	*033019	

†Requires High Performance Trim Tab C46399A1 For Proper Fit.

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	ALUMINUM				SUPER-PROP STAINLESS STEEL			
					Nearest Merc. Equip.	Michigan Part No.	Price	Numeric	Nearest Merc. Equip.	Michigan Part No.	Price	Numeric
650 3 Cyl. (2.3:1 Gear)	Thru 71	Cruisers, Houseboats	4	14 x10		**DQ430	\$127.00	**032078				
800-850 4 Cyl. (2.3:1 Gear)	72-77	Cruisers, Houseboats	3	13 x11	48-35936A3	**PR151	98.00	**032089				
1000-1100	Thru 77	24'-20' Bts.	3	13 x13	48-32392A3	**PR153	98.00	**032090				
1150-1250 (2:1 Gear)		22'-19' Bts.	3	13 x15	48-32390A3	**PR155	98.00	**032091				
1350 (1.78:1 Gear) *Use Thrust Hub 65091 *Use Thrust Washer 75282	Thru 77	22'-19' Bts.	3	13 3/4 x15		**PR155C	105.00	**031001			† SSM615-II-C	\$318.00 *033016
		19'-17' Bts.—All Loads, Skis	3	13 x17	48-32264A3	**PR157	98.00	**032092				
		19'-17' Bts.—All Loads, Skis	3	13 3/4 x17		**PR157C	105.00	**031002	48-72764A4	† SSM617-II-C	318.00	*033017
		17'-16' Bts.—All Loads, Skis	3	13 x19	48-32750A3	**PR159	98.00	**032093				
		17'-16' Bts.—All Loads, Skis	3	13 x19		**PR159C	105.00	**031003	48-72762A4	*SSM619-II-C	318.00	*033018
		18'-15' Bts.—All Loads, Skis	3	13 x21	48-32746A3	**PR161	98.00	**032094				
		18'-15' Bts.—All Loads, Skis	3	13 x21		**PR161C	105.00	**031004	48-72500A4	*SSM621-II-C	318.00	*033019
		16'-14' Bts.—All Loads, Skis	3	13 x23	48-65736A1	**PR163	98.00	**032095				
Mark 78, 78A, 75, 75A, 600	57-60	16'-14' Bts.—All Loads, Skis	3	12 1/2 x15		SMC885	103.00	082035				
75 HP In Line 4 Cyl. 80 HP In Line 4 Cyl. 90 HP 100 HP 115 HP In Line 6 Cyl. *Use Thrust Washer 75282	84-86	24'-19' Bts.—All Loads	3	13 3/4 x15	48-77342A4	*PM315C	104.00	*031041			† SSM615-II-C	318.00 *033016
	78-83	20'-17' Bts.—All Loads, Skis	3	13 3/4 x17	48-77344A4	*PM317C	104.00	*031042	48-72764A4	† SSM617-II-C	318.00	*033017
		19'-16' Bts.—All Loads, Skis	3	13 x19	48-77346A4	*PM319C	104.00	*031043	48-72762A4	*SSM619-II-C	318.00	*033018
	78 Thru 88 Thru 78 Thru	18'-15' Bts.—All Loads, Skis	3	12 3/4 x21	48-77348A4	*PM321C	104.00	*031044				
		18'-15' Bts.—All Loads, Skis	3	13 x21					48-72500A4	*SSM621-II-C	318.00	*033019
		Light Runabouts—Light Loads	3	12 1/2 x23	48-77350A4	*PM323C	104.00	*031045				
1400-1500 (2:1 Gear) In Line 6 Cyl. *Use Thrust Hub 65091 *Use Thrust Washer 75282	Thru 77	Cruisers, Houseboats	3	13 x13	48-32392A3	**PR153	98.00	**032090				
		24'-20' Bts.	3	13 x15	48-32390A3	**PR155	98.00	**032091				
		24'-20' Bts.	3	13 x15		**PR155C	105.00	**031001			† SSM615-II-C	318.00 *033016
		22'-19' Bts.—All Loads	3	13 x17	48-32264A3	**PR157	98.00	**032092				
		22'-19' Bts.—All Loads	3	13 3/4 x17		**PR157C	105.00	**031002	48-72764A4	† SSM617-II-C	318.00	*033017
		19'-17' Bts.—All Loads, Skis	3	13 x19	48-32750A3	**PR159	98.00	**032093				
		19'-17' Bts.—All Loads, Skis	3	13 x19		**PR159C	105.00	**031003	48-72762A4	*SSM619-II-C	318.00	*033018
		18'-15' Bts.—All Loads, Skis	3	13 x21	48-32746A3	**PR161	98.00	**032094				
		18'-15' Bts.—All Loads, Skis	3	13 x21		**PR161C	105.00	**031004	48-72500A4	*SSM621-II-C	318.00	*033019
		17'-16' Bts.—All Loads, Skis	3	13 x23	48-65736A1	**PR163	98.00	**032095				
135 HP 150 HP V-6 175 HP V-6 200 HP V-6 220 HP V-6 225 HP V-6 Merc Laser XRI220 300 HP V-6 3.4 Litre *Use Thrust Washer 77987	87 Thru 78 Thru 78-81 78 Thru 87 Thru 81-82 87 Thru 83 84 Thru	30'+(40-45 MPH) Sgl. or Twin	3	15 1/4 x17							SSM272C	403.00 033020-1
		30'-28'(45-50 MPH) Sgl. or Twin	3	15 x19							SSM292C	403.00 033021-1
		28'-24'(50-55 MPH) Sgl. or Twin	3	14 1/2 x21							SSM312C	403.00 033022-1
		Cruisers, Houseboats	3	16 x11	48-78112A4	PM211C	119.00	031021				
		Cruisers, Houseboats	3	16 x13	48-78114A4	PM213C	119.00	031022				
		Cruisers, Houseboats	3	15 1/4 x15	48-78116A4	PM215C	119.00	031023				
	87 Thru 83	Cruisers, Houseboats	3	14 1/2 x15					48-93272A4	SSM245C	351.00	033002-1
		Cruisers, Houseboats	3	14 1/2 x17	48-78118A4	PM217C	119.00	031024	48-79794A4	SSM247C	351.00	033003-1
		Cruisers, Houseboats	3	14 x19	48-78120A4	PM219C	119.00	031025	48-73980A4	SSM249C	351.00	033004-1
		21'-19' Bts.—All Loads, Skis	3	13 3/4 x21	48-78122A4	PM221C	119.00	031026	48-73982A4	SSM251C	351.00	033005-1
		20'-18' Bts.—All Loads, Skis	3	13 1/2 x23	48-78124A4	PM223C	119.00	031027	48-75724A4	SSM253C	351.00	033006-1

THE EDGE™ (High Performance Propellers)

STAINLESS STEEL

Model	Year	Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
150 HP V-6	76 Thru	42-52		S.S.	3	14 1/4 x20		\$403.00	033012
		46-56	48-11070-A4	S.S.	3	14 1/4 x22	SSM822C	403.00	033013
		51-56	48-11074-A4	S.S.	3	14 1/4 x24	SSM824C	403.00	033014
		55-65	48-11078-A4	S.S.	3	14 1/4 x26	SSM826C	403.00	033015
200 HP V-6	78 Thru	42-52		S.S.	3	14 1/4 x20		403.00	033012
		53-58	48-11070-A4	S.S.	3	14 1/4 x22	SSM822C	403.00	033013
		57-63	48-11074-A4	S.S.	3	14 1/4 x24	SSM824C	403.00	033014
		62-70	48-11078-A4	S.S.	3	14 1/4 x26	SSM826C	403.00	033015

†Requires High Performance Trim Tab C46399A1 For Proper Fit.

HONDA

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	ALUMINUM			BRONZE		
					Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric
BF 75	78 Thru	Sailboats	3	9 1/4 x 7	SMC39	\$ 54.00	012102			
BF 100		16'-14' Bts.	3	9 x 8	PJ21	41.00	012014			
		16'-14' Bts.—Weedless	3	9 x 8	PJ9	42.00	012006			
		16'-14' Bts.—Light Load	3	9 x 9	PJ19	41.00	012109			
		14'-12' Bts.	3	9 x10	PJ16	41.00	012011			
		14'-12' Bts.—Weedless	3	9 x10	EW19	52.00	012076			
		Very Lt. Runabouts—Lt. Loads	2	9 1/4 x12	AJC418	58.00	012064	AJC417	\$ 83.00	016013

Motor & Model	Year	Boat Size & Recommendation	Blds. Dia. & Pitch	ALUMINUM			BRONZE		
				Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric
4 HP	60-69	Standard Replacement	2 7 $\frac{3}{8}$ x 6	SA10	\$ 38.00	152030			
3,3.5,3.6,4,4.5	70-73	Standard Replacement	2 7 $\frac{1}{2}$ x 4 $\frac{1}{2}$	G20	31.00	072017			
5 HP (Sears)	88-89	Standard Replacement	3 7 $\frac{1}{4}$ x 5 $\frac{1}{2}$	PC112	38.00	072123			
		16'-14" Bts.—Light Loads	2 7 x 6 $\frac{1}{4}$	PC90	34.00	072126			
		Aux.—Work Boats	2 8 x 5	PC5	34.00	072120			
5-5 $\frac{1}{2}$ -7-7 $\frac{1}{2}$ HP	60-73	Standard Replacement	2 7 $\frac{1}{2}$ x 5 $\frac{1}{2}$	G30	31.00	152014			
		Standard Replacement	3 6 $\frac{3}{4}$ x 6 $\frac{1}{2}$	G45	42.00	152016			
7 $\frac{1}{2}$ HP (Weedless)	60-69	14'-12' Bts.—Light Loads	3 6 x 6	SAC371	54.00	152034			
		Light Runabouts—Light Loads	2 6 x 8	AJC63	40.00	152001			
7 $\frac{1}{2}$ HP (Sears)	88-89	14'-12' Bts.—Light Loads	3 8 x 9	PC28	45.00	072122			
9.9-15 HP (Sears)	87-89	Standard Replacement	2 8 x 8 $\frac{3}{4}$	PC12	42.00	072024			
		Standard Replacement	3 8 $\frac{1}{8}$ x 8 $\frac{1}{4}$	PC20	45.00	072026			
		16'-14' Bts.—Light Loads	3 8 $\frac{1}{4}$ x 6	PC24	45.00	072121			
		Aux.—Work Boats	3 8 $\frac{1}{4}$ x 4 $\frac{1}{2}$	PC26	45.00	072125			
12-14 HP	60-70	Standard Replacement	3 8 $\frac{1}{4}$ x 8 $\frac{1}{2}$	AMC535	43.00	152003			
25-28 HP	60-70	Standard Replacement	3 9 x10	PS25	62.00	152020			
35 HP	65	16'-14' Bts.—All Loads, Skis	3 10 $\frac{1}{2}$ x12	SMC715	72.00	152038			
40-45 HP	59-70	19'-17' Bts.—All Loads, Skis	3 10 x10	SMC635	70.00	152035			
		17'-16' Bts.—All Loads, Skis	3 10 x11	SMC637	70.00	152036			
		16'-14' Bts.—All Loads, Skis	3 10 x12 $\frac{1}{2}$	PS40	66.00	152021			
60-75 HP	59-70	24'-20' Bts.—One Engine	3 11 $\frac{1}{2}$ x10	PS74	78.00	152026			
		19'-17' Bts.—All Loads, Skis	3 11 $\frac{1}{2}$ x11	PS73	78.00	152025			
		17'-16' Bts.—All Loads, Skis	3 11 $\frac{1}{2}$ x12	PS71	78.00	152023			
		16'-14' Bts.—All Loads, Skis	3 11 $\frac{1}{2}$ x13	PS72	78.00	152024			

SPIRIT, SUZUKI

Motor & Model	Year	Boat Size & Recommendation	Blds. Dia. & Pitch	Nearest Suzuki Equiv.				SUPER-PROP STAINLESS STEEL		
					Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric
DT 4.5-5 HP	76-83	Standard Replacement	2 8 $\frac{1}{4}$ x 5 $\frac{1}{2}$		PS1	\$ 28.00	062001			
		Sailboats	3 8 x 4		PS2	38.00	062002			
DT 6 HP	84 Thru	Light Runabouts—Light Loads	3 8 $\frac{3}{4}$ x10		PS7	38.00	062005			
DT 9.9, 25 HP	76-78	16'-14' Bts.—All Loads	3 8 $\frac{3}{4}$ x 9		PS6	38.00	062004			
DT 16 HP	76-80	17'-16' Bts.—All Loads	3 9 x 8		PS5	38.00	062003			
DT 20 HP	83 Thru									
DT20	83-86	19'-17' Bts.—All Loads	3 10 $\frac{1}{4}$ x10	58100-96410-01T	PR333	81.00	032096			
DT20†	87 Thru	16'-14' Bts.—All Loads	3 10 $\frac{1}{4}$ x12	58110-96321-01T	PR337	81.00	032098			
DT25	83-86	16'-14' Bts.—Light Loads	3 10 $\frac{1}{4}$ x13	58110-96341-01T	PR339	81.00	032099			
DT25†	87 Thru	14'-12' Bts.—All Loads	3 10 $\frac{1}{4}$ x15	58110-96361-01T	PR343	81.00	032100			
DT30	83-86	14'-12' Bts.—Light Loads	3 10 $\frac{3}{4}$ x17		PR345	81.00	032101			
DT30/30C†	87 Thru									
DT 40	83 Thru	19'-17' Bts.—Light Loads	3 12 x11		PS527	100.00	062011	SMC439	142.00	036009
DT 50	83-84	18'-16' Bts.—Light Loads	3 11 $\frac{3}{4}$ x12	58100-95392-01T	PS524	100.00	062010	SMC438	142.00	036008
DT 50M	83-84	17'-15' Bts.—Light Loads	3 11 $\frac{1}{2}$ x13	58100-94312-01T	PS521	100.00	062009	SMC437	142.00	036007
DT 55	85 Thru	16'-14' Bts.—Light Loads	3 11 $\frac{1}{4}$ x14	58100-95352-01T	PS518	100.00	062008	SMC436	142.00	036006
DT 60	83-84	15'-13' Bts.—Light Loads	3 11 x15	58100-95362-01T	PS515	100.00	062007	SMC435	142.00	036005
DT 65	85 Thru							14'-12' Bts.—Light Loads	3 10 $\frac{3}{4}$ x17	PS513
DT 75†	83 Thru	19'-17' Bts.—All Loads, Skis	3 13 $\frac{3}{4}$ x15	58100-95500-01T		104.00	*061001	†SS0515-II-C	307.00	013011
DT 85†	83 Thru	18'-15' Bts.—All Loads, Skis	3 13 $\frac{1}{4}$ x17	58100-95551-01T		104.00	*061002	†SS0517-II-C	307.00	013012
DT 115†	83 Thru	16'-14' Bts.—All Loads, Skis	3 13 x19	58100-95521-01T		104.00	*061003	†SS0519-II-C	307.00	013013
DT 140†	83 Thru	16'-14' Bts.—Light Loads	3 13 x21	58100-95530-01T		104.00	*061004	†SS0521-II-C	307.00	013014
DT150	86 Thru	14'-12' Bts.—Light Loads	3 12 $\frac{1}{2}$ x23			104.00	*061005			
DT 175	86 Thru									
DT 200	86 Thru									

NOTE: All Engines Require †57633-95501 Spacer †57635-95503 Stopper. †57635-95300 Lock Washer
†Supplied with Engine *If currently using uncupped prop, use cupped prop having 2" less pitch. Boats with power trim use same pitch.

Cupped or uncupped? For extra speed from your prop, order it with cupped blades. If you have hydraulic power trim made for light, fast hulls, the cupped design increases

speed on fast bottom boats, eliminates vibration and gives you acceleration like you never had before. Many of the props listed in this catalog can be purchased this way.

VOLVO-PENTA, ARCHIMEDES

OUTBOARD

Motor & Model	Year	Boat Size & Recommendation	Blds. Dia. & Pitch	ALUMINUM			SUPER-PROP STAINLESS STEEL				
				Michigan Part No.	Price	Numeric	BRONZE				
				Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric		
450-550-600-700	All Years	Cruisers, Houseboats	4 14 x10	DQ320	\$129.00	012074					
		Cruisers, Houseboats	3 14 x11	PJ87	87.00	012047					
		19'-17' Bts.—All Loads, Skis	4 14 x12	DQ328	129.00	012075					
		17'-16' Bts.—All Loads, Skis	3 13¾x15	PJ80	87.00	012049					
		17'-16' Bts.—All Loads, Skis	3 13¾x15	*PJ89C	96.00	011002		SSO515-II-C	\$307.00	013011	
		16'-14' Bts.—All Loads, Skis	3 13¼x17	PJ81	87.00	012050					
		16'-14' Bts.—All Loads, Skis	3 13¼x17	*PJ90C	96.00	011003		SSO517-II-C	307.00	013012	
		14'-12' Bts.—Heavy Loads	3 13 x19	PJ82	87.00	012051					
		14'-12' Bts.—Heavy Loads	3 13 x19	*PJ91C	96.00	011004		SSO519-II-C	307.00	013013	
		Light Runabouts—Light Loads	3 13 x21	*PJ83C	96.00	011005		SSO521-II-C	307.00	013014	
		60-90-140-200-250-252	All Years	Sailboats	3 9¼x 7	SMC39	54.00	012102			
		17'-16' Bts.—All Loads, Skis		4 9 x 9	AMC448	74.00	012072				
		Weedless		3 9 x10	EW19	52.00	012076				
Standard Replacement	3 9 x10	PJ16		41.00	012011						
17'-16' Bts.—All Loads, Skis	3 8¾x11	PR20		52.00	012079						
16'-14' Bts.—All Loads, Skis	3 8¾x12	PR22		52.00	012080						
16'-14' Bts.—Light Loads	3 8¾x13	PR24		52.00	012081						
14'-12' Bts.—Light Loads	3 8¾x14	PR26		52.00	012082						
Light Runabouts—Light Loads	2 9¼x12	AJC418		58.00	012064		AJC417	83.00	016013		

*If currently using uncupped prop, use cupped prop having 2" less pitch. Boats with power trim use same pitch.

WARD'S SEA KING

Motor & Model	Year	Boat Size & Recommendation	Blds. Dia. & Pitch	ALUMINUM			BRONZE		
				Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric
2.3½, 4.5-5 HP	70-78	Standard Replacement	2 7 x 4½	C15	\$ 38.00	152011			
3½ HP	64-69	Standard Replacement	2 7½x 4½	G20	31.00	072017			
5-6 HP	64-70	Standard Replacement	2 7½x 7	GC54	42.00	072018			
6 HP	71-80	Standard Replacement	2 8 x 5	PC9	42.00	072022			
7-7.5 HP	70-78	Standard Replacement	2 7 x 5	C18	38.00	152012			
7½ HP Full Shift	77-78	Standard Replacement	3 8¼x 8	PJ11	36.00	012008			
8-9-9.2 HP	64-69	Standard Replacement	2 8 x 8	GC55	42.00	072019			
9.6-9.9-10 HP	70 Thru	Standard Replacement	2 8¼x 8¼	PC12	42.00	072024			
		16'-14' Bts.—All Loads, Skis	2 8¼x 8	PC10	42.00	072023			
		Light Runabouts—Light Loads	2 8 x 8¾	PC14	42.00	072025			
15 HP	74-82	Standard Replacement	3 8½x 8¼	PC20	45.00	072026			
20-25 HP Spined Shaft	68-78	Standard Replacement	3 8½x 8½	AMC490	62.00	152002			
		16'-14' Bts.—All Loads, Skis	3 8½x 8	PR4	64.00	072027			
		14'-12' Bts.—Light Loads	3 8½x10	PR8	64.00	072028			
		14'-12' Bts.—Light Loads	3 8½x11	PR10	64.00	072029			
45-50 HP	64-65	17'-16' Bts.—All Loads, Skis	3 10½x12	SMC715	72.00	152038			
		16'-14' Bts.—All Loads, Skis	3 10½x13	SMC713	72.00	152037			
35-45-50-55 HP Spined Shaft	66 Thru	Cruisers, Houseboats, Sailboats	3 10¾x10	AMC308	68.00	072014			
		19'-17' Bts.—All Loads, Skis	3 10¼x11	PR130	70.00	072035			
		17'-16' Bts.—All Loads, Skis	3 10¼x12	PR132	70.00	072036			
		16'-14' Bts.—All Loads, Skis	3 10¼x13	PR134	70.00	072037			
		16'-14' Bts.—Light Loads	3 10¼x14	PR136	70.00	072038			
		Light Runabouts—Light Loads	3 10¼x15	PR138	70.00	072039			
80 HP	64-69	Cruisers, Houseboats	3 13 x 8	PJ51	92.00	012034			
		17'-16' Bts.—All Loads, Skis	3 12½x14	PJ50	73.00	012033			

YAMAHA

Motor & Model	Year	Boat Size & Recommendation	Blds. Dia. & Pitch	Nearest Yamaha Equiv.	ALUMINUM			SUPER-PROP STAINLESS STEEL		
					Michigan Part No.	Price	Numeric	Nearest Yamaha Equiv.	Michigan Part No.	Price
8 HP	76-83	24'-20' Bts.—Sailboats	3 8¼x 6½	48-82763	SMC12	\$ 50.00	012100			
		16'-14' Bts.—All Loads, Skis	3 8¼x 8	48-82764	PJ11	36.00	012008			
		16'-14' Bts.—Light Loads	3 8¼x 9	48-82766	SMC18	44.00	012101			
15A & W15 HP	76-83	Houseboats, Sailboats	3 9¼x 7	48-82767	SMC39	54.00	012102			
		14'-12' Bts.—Heavy Loads	3 9 x10	48-82768	PJ16	41.00	012011			
20 HP	76-78	14'-12' Bts.—Light Loads	3 9¼x11	48-82769	PJ18	42.00	012013			
25 HP	77-79	14'-12' Bts.—All Loads, Skis	3 9¼x12	48-82770	PJ15	42.00	012010			

Motor & Model	Year	Boat Size & Recommendation	Blids.	Dia. & Pitch	ALUMINUM				SUPER-PROP STAINLESS STEEL						
					Nearest Yamaha Equiv.	Michigan Part No.	Price	Numeric	Nearest Yamaha Equiv.	Michigan Part No.	Price	Numeric			
25 HP 28 HP 30 HP Flow-Thru Exhaust	80 Thru 76-78 79 Thru	18'-16" Bts.—All Loads, Skis	3	9 7/8x 9	664-45941-01-EL	PM39	\$ 64.00	022001							
		17'-14" Bts.—All Loads, Skis	3	9 7/8x10 1/2	664-45945-00-EL	PM40	64.00	022002							
		16'-13" Bts.—Light Loads	3	9 3/4x12		PM42	64.00	022003							
W40 HP For Non "Thru-Prop" Exhaust	77-83	20'-18" Bts.—All Loads	3	11 3/4x 8 3/4	48-83573	PM62	79.00	022006							
		17'-16" Bts.—All Loads, Skis	3	11 3/4x10	48-83552	PM61	79.00	022005							
		17'-15" Bts.—Light Loads	3	11 1/2x12	48-83535	PM60	79.00	022004							
40 HP W48 HP 60 HP 70 HP Thru-Hub Exhaust	79-83 All Yrs. 77-83 78-83	22'-19" Bts.—All Loads	3	11 1/4x10	48-73132A4	PM600C	96.00	031015							
		18'-15" Bts.—All Loads, Skis	3	10 5/8x12	48-73134A4	PM612C	96.00	031016							
		18'-15" Bts.—All Loads, Skis	3	10 1/4x12						48-79792A4	SSM212C	\$279.00	033001		
		17'-16" Bts.—All Loads, Skis	3	10 3/8x13	48-73136A4	PM613C	96.00	031017							
		17'-14" Bts.—Light Loads	3	10 1/4x14	48-73138A4	PM614C	96.00	031018							
		15'-13" Bts.—Light Loads	3	10 1/8x15	48-73140A4	PM615C	96.00	031019							
40-50 HP 55-60 HP	84 Thru 76-81	22'-19" Bts.—All Loads	3	12 1/4x10		PM530	96.00	032045							
		19'-17" Bts.—All Loads, Skis	3	12 x11	663-45947-01-EL	PM527	96.00	032044			SMC439	142.00	036009		
		18'-15" Bts.—All Loads, Skis	3	11 3/4x12		PM524	96.00	032043			SMC438	142.00	036008		
		17'-16" Bts.—All Loads, Skis	3	11 1/2x13	663-45945-02-EL	PM521	96.00	032042			SMC437	142.00	036007		
		16'-14" Bts.—Light Loads	3	11 1/4x14	663-45958-01-EL	PM518	96.00	032041			SMC436	142.00	036006		
		15'-13" Bts.—Light Loads	3	11 x15	663-45943-02-EL	PM515	96.00	032040			SMC435	142.00	036005		
		14'-12" Bts.—Light Loads	3	10 3/4x16	663-45949-01-EL	PM513	96.00	032039			SMC434	142.00	036004		
80 HP	1977	24'-20" Bts.	3	13 x13	48-58826	PR153	98.00	032090							
		22'-19" Bts.—All Loads	3	13 x15	48-32390	PR155	98.00	032091							
		22'-19" Bts.—All Loads, Skis	3	13 3/4x15		PR155C	105.00	031001			SSM615-II-C	318.00	033016		
		19'-17" Bts.—All Loads, Skis	3	13 x17	48-65022	PR157	98.00	032092							
		19'-17" Bts.—All Loads, Skis	3	13 x17		PR157C	105.00	031002							
		19'-17" Bts.—All Loads, Skis	3	13 1/4x17						48-7276A4	SSM617-II-C	318.00	033017		
		18'-15" Bts.—All Loads, Skis	3	13 x19	48-65024	PR159	98.00	032093							
		18'-15" Bts.—All Loads, Skis	3	13 x19		PR159C	105.00	031003			48-72762A4	SSM619-II-C	318.00	033018	
		17'-16" Bts.—All Loads, Skis	3	13 x21	48-62780	PR161	98.00	032094							
		17'-16" Bts.—All Loads, Skis	3	13 x21		PR161C	105.00	031004			48-72500A4	SSM621-II-C	318.00	033019	
		16'-14" Bts.—All Loads, Skis	3	13 x23	48-65736	PR163	98.00	032095							
80-90-115 140 HP	78-83 78-79	24'-20" Bts.—All Loads, Skis	3	13 3/4x15	48-77342A4	PM315C	104.00	031041			SSM615-II-C	318.00	033016		
		19'-17" Bts.—All Loads, Skis	3	13 1/4x17	48-77344A4	PM317C	104.00	031042			48-72764A4	SSM617-II-C	318.00	033017	
		18'-16" Bts.—All Loads, Skis	3	13 x19	48-77346A4	PM319C	104.00	031043			48-72762A4	SSM619-II-C	318.00	033018	
		18'-15" Bts.—All Loads, Skis	3	12 3/4x21	48-77348A4	PM321C	104.00	031044			48-72500A4	SSM621-II-C	318.00	033019	
		16'-14" Bts.—All Loads, Skis	3	12 1/2x23	48-77350A4	PM323C	104.00	031045							
70-90-115 HP	84 Thru	24'-20" Bts.—All Loads, Skis	3	13 3/4x15	6E5-45947-00-EL	PY315-C	104.00	101001			SSY615-II-C	318.00	103025		
		19'-17" Bts.—All Loads, Skis	3	13 1/4x17	6E5-45945-00-EL	PY317-C	104.00	101003			688-45930-60-98	SSY617-II-C	318.00	103026	
		18'-16" Bts.—All Loads, Skis	3	13 x19	6E5-45941-00-EL	PY319-C	104.00	101005			688-45970-01-98	SSY619-II-C	318.00	103027	
		18'-15" Bts.—All Loads, Skis	3	12 3/4x21	6E5-45943-00-EL	PY321-C	104.00	101007			688-45972-01-98	SSY621-II-C	318.00	103028	
		16'-14" Bts.—All Loads, Skis	3	12 1/2x23		PY323-C	104.00	101009							
		150-200 HP 175 HP V-6	79-83 78-79	Cruisers, Houseboats	3	16 x11	48-78112A4	PM211C	119.00	031021					
Cruisers, Houseboats	3	16 x13		48-78114A4	PM213C	119.00	031022								
Cruisers, Houseboats	3	15 1/4x15		48-78116A4	PM215C	119.00	031023								
Cruisers, Houseboats	3	14 1/2x15							48-93272A4	SSM245C	351.00	033002-1			
Cruisers, Houseboats	3	14 1/2x17		48-78118A4	PM217C	119.00	031024			48-79794A4	SSM247C	351.00	033003-1		
Cruisers, Houseboats	3	14 x19		48-78120A4	PM219C	119.00	031025			48-73980A4	SSM249C	351.00	033004-1		
21'-19" Bts.—All Loads, Skis	3	13 3/4x21		48-78122A4	PM221C	119.00	031026			48-73982A4	SSM251C	351.00	033005-1		
20'-18" Bts.—All Loads, Skis	3	13 1/2x23		48-78124A4	PM223C	119.00	031027			48-75724A4	SSM253C	351.00	033006-1		
V-6 150 HP	84 Thru	Cruisers, Houseboats		3	14 1/2x15	6G5-45941-00-EL	PY415C	119.00	101010			6G5-45970-00-98	SSY715C	351.00	103016
175 HP	84 Thru	Cruisers, Houseboats		3	14 1/2x17	6G5-45947-00-EL	PY417C	119.00	101011			6G5-45978-01-98	SSY717C	351.00	103018
200 HP	84 Thru	Cruisers, Houseboats	3	14 x19	6G5-45945-00-EL	PY419C	119.00	101012			6G5-45974-01-98	SSY719C	351.00	103020	
V-6 Special PRO V	84-85	21'-19" Bts.—All Loads, Skis	3	13 3/4x21	6G5-45943-00-EL	PY421C	119.00	101013			6G5-45972-01-98	SSY721C	351.00	103022	
EXCEL	86 Thru	20'-18" Bts.—All Loads, Skis	3	13 1/2x23	6G5-45949-00-EL	PY423C	119.00	101014			6G5-45976-01-98	SSY723C	351.00	103024	

("Heavy-Duty Special" Hard to Plane Boats)

Motor & Model	Year	Boat Size (Speed MPH)	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
150 HP V-6 200 HP V-6 (Counter-rotating)	84 Thru	32'+ Twin (35-45)	S.S.	3	15 1/4x17 (LH)		\$403.00	103001
		28'-24' Twin (40-48)	S.S.	3	15 1/4x17 (RH)		403.00	103002
			S.S.	3	15 x19 (LH)		403.00	103003
			S.S.	3	15 x19 (RH)		403.00	103004
			S.S.	3	14 1/2x21 (LH)		403.00	103005
		24'-22' Twin (45-53)	S.S.	3	14 1/2x21 (RH)		403.00	103006

THE EDGE™ (High Performance Propellers)

Model	Year	Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
V-6 Outboards	84 Thru	42-52	6E5-45970-10-00	S.S.	3	14 1/4x20		\$403.00	103008
		45-55	6E5-45976-10-00	S.S.	3	14 1/4x22	SSY722C	403.00	103010
		50-60	6E5-45972-10-00	S.S.	3	14 1/4x24	SSY724C	403.00	103012
		54-66	6E5-45978-10-00	S.S.	3	14 1/4x26	SSY726C	403.00	103014
V-6 Special	84 Thru	44-54	6E5-45970-10-00	S.S.	3	14 1/4x20		403.00	103008
		52-63	6E5-45976-10-00	S.S.	3	14 1/4x22	SSY722C	403.00	103010
		57-68	6E5-45972-10-00	S.S.	3	14 1/4x24	SSY724C	403.00	103012
		62-74	6E5-45978-10-00	S.S.	3	14 1/4x26	SSY726C	403.00	103014

MISCELLANEOUS

								ALUMINUM			BRONZE				
Motor & Model	Year	Boat Size & Recommendation		Blds. Dia. & Pitch		Michigan Part No.	Price	Numeric	Michigan Part No.	Price	Numeric				
BEARCAT (HOMELITE)															
55-85 HP	62-73	19'-17' Bts.—All Loads, Skis		3	11½x10	PS74	\$ 78.00	152026							
(Use Cupped Version for 85 HP Model at \$8.50 Net Extra.)		17'-16' Bts.—All Loads, Skis		3	11½x11	PS73	78.00	152025							
		16'-14' Bts.—All Loads, Skis		3	11½x12	PS71	78.00	152023							
		16'-14' Bts.—Light Loads		3	11½x13	PS72	78.00	152024							
Motor & Model	Year	Part No.	Blds.	Dia. & Pitch	Model	Price	Numeric	Motor & Model	Year	Part No.	Blds.	Dia. & Pitch	Model	Price	Numeric
CHAMPION								MERCURY							
Single & Twin	39-42	P51	2	7½x 6½	Al.	\$ 31.00	152018	3½-5 HP	49-55	K70	2	6¾x 6½	Al.	\$ 40.00	032081
CLINTON								6 HP	55-60	K74	2	7¼x 7	Al.	40.00	032082
3-3½-4-5 HP	60-78	C15	2	7 x 4½	Al.	38.00	152011	7½ HP Mark 7	47-55	K50	2	7½x 8	Al.	40.00	032080
7-7.5 HP	60-78	C18	2	7 x 5	Al.	38.00	152012	10 HP KE 7	47-52	K40	3	7½x 9	Al.	51.00	032079
7.5, 9.9 HP Full Shift	73-78	PJ11	3	8¼x 8	Al.	36.00	012008	Mark 20-25 KH,7	52-58	AMC503	3	9 x 9	Al.	91.00	032073
ELGIN								WESTBEND-WIZARD (CHRYSLER)							
5-5½-6 HP	47-55	G40	2	7½x 7½	Al.	40.00	152015	5-5½-6 HP	47-48	G40	2	7½x 7½	Al.	40.00	152015
5½ HP	56-59	GC54	2	7½x 7	Al.	42.00	072018	7½-8 HP	49-55	G50	2	7½x 8½	Al.	42.00	152017
7½ HP	49-55	G50	2	7½x 8½	Al.	42.00	152017								
7½ HP	56-59	GC55	2	8 x 8	Al.	42.00	072019								
EVINRUDE-JOHNSON-GALE															
7½ HP	50-58	AM416	3	8 x 8	Al.	40.00	012066								
MUNCIE															
1.2 and 1.5 HP	47-73	E40	2	6 x 5	Al.	41.00	152013								

OMC COBRA™ / MODEL 400

STERN DRIVE

Motor-Model-Ratio	Year	Boat Size & Speed (MPH)	OMC Equiv.	Michigan Part No.	Mat'l.	Blds.	Dia. & Pitch	Price	Numeric
2.3 Litre (120 HP) 400 1.71:1		Workboat (6-16)	382761	PJ87	Alum.	3	14 x11	\$ 87.00	012047
2.5 Litre (120 HP) 400 (In Line 4) 1.71:1	78-84	Houseboats, Lt. Cruisers (14-26)	391668	PJ88C	Alum.	3	14 x13	96.00	011001
3.0 Litre (140 HP) 400 1.71:1		22'-19' (24-32)	391198	PJ89C	Alum.	3	13¾x15	96.00	011002
3.0 Litre (140 HP) 400 (In Line 4) 1.71:1	78-84	22'-19' (24-32)	389949	SS0515-II-C	S.S.	3	13¾x15	307.00	013011
2.3 Litre (128 HP) Cobra (In Line 4) 2.01	88 Thru	20'-17' (30-40)	391199	PJ90C	Alum.	3	13¼x17	96.00	011003
2.5 Litre (120 HP) Cobra (In Line 4) 1.71:1	85-87	20'-17' (30-40)	389948	SS0517-II-C	S.S.	3	13¼x17	307.00	013012
3.0 Litre (140 HP) Cobra (In Line 4) 1.71:1	85-87	19'-16' (34-42)	390896	PJ91C	Alum.	3	13 x19	96.00	011004
3.0 Litre (130 HP) Cobra (In Line 4) 1.71:1	88 Thru	19'-16' (34-42)	389510	SS0519-II-C	S.S.	3	13 x19	307.00	013013
		18'-15' (38-46)	389788	PJ83C	Alum.	3	13 x21	96.00	011005
		18'-15' (38-46)	389512	SS0521-II-C	S.S.	3	13 x21	307.00	013014

High Performance Propellers

Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric
High Perf. (34-42)	394758	S.S.	3	13¼x17		\$395.00	013027
High Perf. (38-46)	394759	S.S.	3	13¼x19		395.00	013029
High Perf. (42-52)	394760	S.S.	3	13¼x21		395.00	013031

OMC COBRA™ / MODEL 800

Motor-Model-Ratio	Year	Boat Size & Speed (MPH)	OMC Equiv.	Michigan Part No.	Mat'l.	Blds.	Dia. & Pitch	Price	Numeric
3.8 Litre (170 HP) 800 V-6 1.77:1	80-84	Non-Plane Hvy. Cruisers (0-20)	387158	PJ199C	Alum.	3	15½x10	\$158.00	011015
3.8 Litre (185 HP) 800 V-6 1.77:1	80-84	Non-Plane Hvy. Cruisers (7-23)	391535	PJ200C	Alum.	3	15½x13	113.00	012059
5.0 Litre (200 HP) 800 V-8 1.50:1	80-84	Non-Plane Hvy. Cruisers (7-23)	391536	PJ200C	Alum.	3	15½x13	113.00	011016
5.0 Litre (230 HP) 800 V-8 1.50:1	80-84	26'-22' (22-32)	391535	PJ201C	Alum.	3	15½x15	113.00	011006
5.7 Litre (260 HP) 800 V-8 1.41:1	80-84	24'-19' (28-35)	389925	SS0645C	S.S.	3	14½x15	361.00	013001
4.3 Litre (175 HP) Cobra V-6 1.68:1	85 Thru	24'-18' (30-39)	391200	PJ202C	Alum.	3	15 x17	113.00	011007
4.3 Litre (205 HP) Cobra V-6 1.68:1	85 Thru	24'-18' (30-39)	391290	SS0647C	S.S.	3	14½x17	361.00	013002
5.0 Litre (200 HP) Cobra V-8 1.50:1	88 Thru	20'-17' (36-44)	391201	PJ203C	Alum.	3	14½x19	113.00	011008
5.0 Litre (230 HP) Cobra V-8 1.50:1	85 Thru	20'-17' (36-44)	389924	SS0649C	S.S.	3	14 x19	361.00	013003
5.7 Litre (260 HP) Cobra V-8 1.41:1	88 Thru	19'-16' (40-49)	391202	PJ204C	Alum.	3	14¼x21	113.00	011009
7.5 Litre (335 HP) Cobra V-8 1.43:1		19'-16' (40-49)	389923	SS0651C	S.S.	3	13¾x21	361.00	013004
(All Thru-Hub Exhaust) Use Thrust Washer 333592		20'-15' (45-56)	391203	PJ205C	Alum.	3	14¼x19	113.00	011010
		20'-15' (45-56)	389019	SS0653C	S.S.	3	13½x23	361.00	013005
3.8 Litre (170 HP) 800 V-6 1.77:1	80-84	Heavy Cruisers (22-30)	387158	PJ200C	Alum.	3	15½x13	113.00	011016
3.8 Litre (185 HP) 800 V-6 1.77:1	80-84	28'-24' (26-36)	391535	PJ201C	Alum.	3	15½x15	113.00	011006
5.0 Litre (200 HP) 800 V-8 1.50:1	80-84	27'-20' (32-38)	289925	SS0645C	S.S.	3	14½x15	361.00	013001
5.0 Litre (230 HP) 800 V-8 1.50:1	80-84	27'-20' (34-44)	391200	PJ202C	Alum.	3	15 x17	113.00	011007
5.7 Litre (260 HP) 800 V-8 1.41:1	80-84	27'-20' (34-44)	391290	SS0647C	S.S.	3	14½x17	361.00	013002
4.3 Litre (175 HP) Cobra V-6 1.68:1	85 Thru	22'-17' (39-50)	391201	PJ203C	Alum.	3	14½x19	113.00	011008
4.3 Litre (205 HP) Cobra V-6 1.68:1	85 Thru	22'-17' (39-50)	389924	SS0649C	S.S.	3	14 x19	361.00	013003
5.0 Litre (200 HP) Cobra V-8 1.50:1	88 Thru	20'-16' (44-57)	391202	PJ204C	Alum.	3	14¼x21	113.00	011009
5.0 Litre (230 HP) Cobra V-8 1.50:1	85 Thru	20'-16' (44-57)	389923	SS0651C	S.S.	3	13¾x21	361.00	013004
7.5 Litre (335 HP) Cobra V-8 1.43:1		High Perf. (48-62)	391203	PJ205C	Alum.	3	14¼x23	113.00	011010
(All Thru-Hub Exhaust)		High Perf. (48-62)	389019	SS0653C	S.S.	3	13½x23	361.00	013005

(OMC COBRA™/MODEL 800 CONTINUED)

STERN DRIVE

Motor-Model-Ratio	Year	Boat Size & Speed (MPH)	OMC Equiv.	Michigan Part No.	Mat'l.	Blds.	Dia. & Pitch	Price	Numeric		
5.7 Litre (260 HP) 800 V-8 1.41:1 5.7 Litre (200 HP) Cobra V-8 1.4:1	78-84	Heavy Cruisers (25-32)	391536	PJ200C	Alum.	3	15½x13	\$113.00	011016		
	85 Thru	28'-22' (30-37)	391535	PJ201C	Alum.	3	15½x15	113.00	011006		
		26'-19' (33-39)	389925	SSO645C	S.S.	3	14½x15	361.00	013001		
		26'-19' (35-46)	391200	PJ202C	Alum.	3	15 x17	113.00	011007		
		26'-19' (35-46)	391290	SSO647C	S.S.	3	14½x17	361.00	013002		
		24'-18' (40-52)	391201	PJ203C	Alum.	3	14½x19	113.00	011008		
		24'-18' (40-52)	389924	SSO649C	S.S.	3	14 x19	361.00	013003		
		22'-17' (46-60)	391202	PJ204C	Alum.	3	14½x21	113.00	011009		
		22'-17' (46-60)	389923	SSO651C	S.S.	3	13¾x21	361.00	013004		
		High Perf. (51-66)	391203	PJ205C	Alum.	3	14½x23	113.00	011010		
		High Perf. (51-66)	389019	SSO653C	S.S.	3	13½x23	361.00	013005		
		"Heavy-Duty Special" Hard to Plane Boats Thru-Hub Exhaust (260 HP maximum)	32'+ Twin (38-47)			SSO817C	S.S.	3	15¼x17 (RH)	403.00	013015
							S.S.	3	15¼x17 (LH)	403.00	013019
			28'-24' Single (38-47)			SSO817C	S.S.	3	15¼x17 (RH)	403.00	013015
			28'-24' Twin (44-53)			SSO819C	S.S.	3	15 x19 (RH)	403.00	013016
					S.S.	3	15 x19 (LH)	403.00	013021		
24'-22' Single (44-53)				SSO819C	S.S.	3	15 x19 (RH)	403.00	013016		
28'-24' Twin (50-58)				SSO821C	S.S.	3	14½x21 (RH)	403.00	013017		
				S.S.	3	14½x21 (LH)	403.00	013023			
		22'-20' Single (50-58)		SSO821C	S.S.	3	14½x21	403.00	013017		

THE EDGE™ (High Performance Propellers) OMC Model 800 & Cobra™								STAINLESS STEEL		
Model	Year	Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric	
V-6 3.8, 4.3 Litre 170, 175, 185, 205 Sterndrives	80 Thru	40-49	394753	S.S.	3	14¼x20		\$407.00	013006	
		45-56	394754	S.S.	3	14¼x22	SSO922C	407.00	013007	
		50-60	394755	S.S.	3	14¼x24	SSO924C	407.00	013008	
V-8 5.0 Litre 185, 200, 225, 230 Sterndrives	78 Thru	45-57	394753	S.S.	3	14¼x20		407.00	013006	
		48-62	394754	S.S.	3	14¼x22	SSO922C	407.00	013007	
		52-66	394755	S.S.	3	14¼x24	SSO924C	407.00	013008	
		65+	394756	S.S.	3	14¼x26	SSO926C	407.00	013009	
V-8 5.7 Litre 260 Sterndrives	78 Thru	46-60	394753	S.S.	3	14¼x20		407.00	013006	
		51-66	394754	S.S.	3	14¼x22	SSO922C	407.00	013007	
		65+	394755	S.S.	3	14¼x24	SSO924C	407.00	013008	

OMC SEA DRIVE ('82 Thru)

Motor-Model-Ratio	Year	Boat Size & Speed (MPH)	OMC Equiv.	Michigan Part No.	Mat'l.	Blds.	Dia. & Pitch	Price	Numeric		
2.5 Litre (150 HP) 1.86:1 V-6 2.6 Litre (205 HP) 1.86:1 V-6 2.7 Litre (225 HP) 2:1 V-6	82 Thru	Barges, Houseboats (10-25)	391536	PJ200C	Alum.	3	15½x13	\$113.00	011016		
	82 Thru	36'-32' Twin (24-34)	391535	PJ201C	Alum.	3	15½x15	113.00	011006		
		36'-32' Twin (27-36)	389925	SSO645C	S.S.	3	14½x15	361.00	013001		
		27'-24' Single (30-40)	391200	PJ202C	Alum.	3	15 x17	113.00	011007		
		33'-30' Twin (30-40)	391290	SSO647C	S.S.	3	14½x17	361.00	013002		
		24'-21' Single (36-47)	391201	PJ203C	Alum.	3	14½x19	113.00	011008		
		30'-27' Twin (36-47)	389924	SSO649C	S.S.	3	14 x19	361.00	013003		
		22'-18' Single (42-54)	391202	PJ204C	Alum.	3	14½x21	113.00	011009		
		28'-25' Twin (42-54)	389923	SSO651C	S.S.	3	13¾x21	361.00	013004		
		25'-23' Twin (50-62)	391203	PJ205C	Alum.	3	14½x23	113.00	011010		
		25'-23' Twin (50-62)	389019	SSO653C	S.S.	3	14 x19	361.00	013005		
		"Heavy-Duty Special Applications" (Hard to Plane Boats) Thru-Hub Exhaust (260 HP maximum)	32'+ Twin (35-45)			SSO817C	S.S.	3	15¼x17 (RH)	403.00	013015
							S.S.	3	15¼x17 (LH)	403.00	013019
			28'-24' Single (35-45)			SSO817C	S.S.	3	15¼x17 (RH)	403.00	013015
			28'-24' Twin (40-48)			SSO819C	S.S.	3	15 x19 (RH)	403.00	013016
					S.S.	3	15 x19 (LH)	403.00	013021		
24'-22' Single (40-48)				SSO819C	S.S.	3	15 x19 (RH)	403.00	013016		
24'-22' Twin (45-53)				SSO821C	S.S.	3	14½x21 (RH)	403.00	013017		
		22'-20' Single (45-53)		SSO821C	S.S.	3	14½x21	403.00	013017		
1.6 Litre (115 HP) 2:1 V-4 1.8 Litre (140 HP) 2:1 V-4	82-1180 -82-8	Barges, Houseboats (1-18)	382761	PJ87	Alum.	3	14 x11	87.00	012047		
		26'+ (14-28)	391668	PJ88C	Alum.	3	14 x13	96.00	011001		
		26'-22' (24-26)	391198	PJ89C	Alum.	3	13¾x15	96.00	011002		
		26'-22' (24-36)	389949	SSO515-II-C	S.S.	3	13¾x15	307.00	013011		
		22'-19' (30-42)	391199	PJ90C	Alum.	3	13¼x17	96.00	011003		
		22'-19' (30-40)	389948	SSO517-II-C	S.S.	3	13¼x17	307.00	013012		
		20'-17' (38-50)	390896	PJ91C	Alum.	3	13 x19	96.00	011004		
1.6 Litre (115 HP) 2:1 V-4 1.8 Litre (140 HP) 2:1 V-4		20'-17' (38-50)	389510	SSO519-II-C	S.S.	3	13 x19	307.00	013013		
		18'-15' (44-56)	389788	PJ83C	Alum.	3	13 x21	96.00	011005		
		18'-15' (44-56)	389512	SSO521-II-C	S.S.	3	13 x21	307.00	013014		

High Performance Propellers									
Boat Speed (MPH)	Nearest Equiv. Part No.	Mat'l.	No. of Blades	Dia. & Pitch	Part No.	Price	Numeric		
High Perf. (30-32)	394758	S.S.	3	13¼x17		\$395.00	013027		
High Perf. (38-50)	394759	S.S.	3	13¼x19		395.00	013029		
High Perf. (44-46)	394760	S.S.	3	13¼x21		395.00	013031		

OMC SAILDRIVE

RH Part No.	Dia. & Pitch	Blds.	Metal	Price	Numeric
PJ41	10½x10	3	Alum.	\$ 52.00	012027

BMW MODEL G-130-S, G-190-S, G-220-S (Thru 1982)

HP Range: 130-190-220. (For twin installations increase pitch 2")						
Approx. HP	Drive Ratio	Thru 17'	Boat Length		22'-25'	
130 HP	2.2:1	14x19	14x17	14x15		
190 HP	1.95:1	14x21	14x19	14x17		
220 HP	1.95:1	14x23	14x21	14x19		
LH Rot.	RH Rot.	Dia. & Pitch	Blds.	Metal	Price	Numeric
SMC350	SMC351	14x23	3	Alum.	\$157.00	082036

CHRYSLER MODEL 40

HP Range: to 80. Recom. (For twin installations increase pitch 2")						
Part No.	Dia. & Pitch	Blds.	Metal	Price	Numeric	Boat Length
						Houseboats, Barges
						11½x12
						11½x11
						11½x9
						11½x8
Part No.	Dia. & Pitch	Blds.	Metal	Price	Numeric	
PS-74	11½x10	3	Alum.	\$ 78.00	152026	
PS-73	11½x11	3	Alum.	78.00	152025	
PS-72	11½x13	3	Alum.	78.00	152024	
PS-71	11½x12	3	Alum.	78.00	152023	

CHRYSLER DRIVE 90 MODEL 80, 81; MUNCIE TURBOMARINE FLEXIDRIVE NO. 302C, 501C, 503, 700 & 900; MARINE DRIVE SYSTEMS MODEL 80, 81, 101

HP Range: 110 to 300. Recom. (For twin installations increase pitch 2")							
Approx. HP	Drive Ratio	18'-21'	Boat Length		Houseboats, Barges	Metal	Price
			22'-25'				
110 HP	2:1	16 x16	15 x15	15¼x13			
150-155 HP	1.3:1	16 x16	15 x15	15¼x13			
	1.6:1	15¼x18	15¼x17	15¼x13			
175 HP	2:1	17 x19	17 x17	17 x14			
	1.3:1	15¼x17	15 x15	16¼x13			
200 HP	1.6:1	17 x19	17 x16	17 x12			
	1.3:1	15¼x18	16 x16	16¼x14			
225 HP	1.6:1	17 x20	17 x19	17 x15			
	1.3:1	15¼x18	16 x16	17 x12			
250-260 HP	1.6:1	17 x19	17 x16	17 x15			
	1.32:1	15¼x18	15¼x17	17 x13			
290-300 HP	1.6:1	17 x18	17 x16	17 x16			
	1.32:1	15¼x19	15¼x18	17 x14			
	1.6:1	17 x19	17 x17				
LH Part No.	Numeric	RH Part No.	Numeric	Dia. & Pitch	Blds.	Metal	Price
SMC-737	072091	SMC-721	072090	15¼x17	3	Alum.	\$194.00
SMC-765	072101			16 x16	3	Alum.	218.00
SMC-736	072089	SMC-720	072088	16 x15	3	Alum.	194.00
SMC-735	072095			16¼x13	3	Alum.	194.00
SMC-744	072097	SMC-760	072096	17 x19	3	Alum.	218.00
SMC-750	072099	SMC-751	072098	17 x17	3	Alum.	218.00
SMC-768	072103	SMC-769	072104	17 x16	3	Alum.	218.00
SMC-734	072093	SMC-733	072092	17 x15	3	Alum.	218.00
SMC-773	072105	SMC-774	072106	17 x12	3	Alum.	218.00
SMC-803	032105	SMC-802	032106	16 x25	3	Alum.	194.00
SMC-805	032107	SMC-804	032108	16¾x23	3	Alum.	194.00
SMC-807	032109	SMC-806	032110	16¾x21	3	Alum.	194.00
SMC-809	072113	SMC-808	072112	16¾x19	3	Alum.	194.00

STERN DRIVE

CHRYSLER MODEL 300

HP Range: 105 to 270. Recom. (For twin engines increase pitch 2")							
Approx. HP	Drive Ratio	Thru 17'	Boat Length		23'-25'	26'-28'	Price
			21'-22'				
105@4000	2:1	14x21C	14x19C	14x17C			
140@4800	2:1	14x21C	14x19C	14x17C			
155@4450	1.75:1	14x21C	14x19C	14x17C			
195@4400	1.5:1		14x21C	14x19C	14x17C		
245@4600	1.5:1		14x21C	14x19C	14x17C		
270@4600	1.5:1		14x21C	14x19C	14x17C		
LH Part No.	Numeric	RH Part No.	Numeric	Dia. & Pitch	Blds.	Metal	Price
		AMC-104C	071002	14x17	3	Alum.	\$152.00
AMC-107C	071003	AMC-106C	071004	14x19	3	Alum.	152.00
		AMC-108C	071006	14x21	3	Alum.	152.00
		AMC-110C	071008	14x23	3	Alum.	152.00
		AMC-128C	071010	15x15	3	Alum.	163.00
AMC-131C	071013	AMC-130C	071012	15x17	3	Alum.	163.00
		AMC-132C	071014	15x19	3	Alum.	163.00
		AMC-152C	071021	16x17	3	Alum.	171.00

MARINE DRIVE SYSTEMS MODEL 91 (1-1/2" TAPERED SHAFT WITH KEY)* (MODEL 82, 83, 103 (SPLINED SHAFT)**

Model	Dia. & Pitch	Blds.	Metal	Rotation	Numeric	Rotation	Numeric	Price
*	18x15	3	Alum.	LH	132001	RH	132002	\$216.00
*	18x16	3	Alum.	LH	132003	RH	132004	216.00
*	18x17	3	Alum.	LH	132005	RH	132006	216.00
*	18x18	3	Alum.	LH	132007	RH	132008	216.00
*	18x19	3	Alum.	LH	132009	RH	132010	216.00
*	18x20	3	Alum.	LH	132011	RH	132012	216.00
*	18x21	3	Alum.	LH	132013	RH	132014	216.00
*	19x15	3	Alum.	LH	132015	RH	132016	241.00
*	19x16	3	Alum.	LH	132017	RH	132018	241.00
*	19x17	3	Alum.	LH	132019	RH	132020	241.00
*	19x21	3	Alum.	LH	132021	RH	132022	241.00
*	19x23	3	Alum.	LH	132023	RH	132024	241.00
*	19x25	3	Alum.	LH	132025	RH	132026	241.00
*	19x27	3	Alum.	LH	132027	RH	132028	261.00
*	20x15	3	Alum.	LH	132029	RH	132030	261.00
*	20x16	3	Alum.	LH	132031	RH	132032	261.00
*	20x17	3	Alum.	LH	132033	RH	132034	261.00
*	20x18	3	Alum.	LH	132035	RH	132036	261.00
*	20x19	3	Alum.	LH	132037	RH	132038	261.00
*	20x20	3	Alum.	LH	132039	RH	132040	261.00
*	20x21	3	Alum.	LH	132041	RH	132042	261.00
**	18x15	3	Alum.	LH	132057	RH	132058	216.00
**	18x16	3	Alum.	LH	132059	RH	132060	216.00
**	18x17	3	Alum.	LH	132061	RH	132062	216.00
**	18x18	3	Alum.	LH	132063	RH	132064	216.00
**	18x19	3	Alum.	LH	132065	RH	132066	216.00
**	18x20	3	Alum.	LH	132067	RH	132068	216.00
**	18x21	3	Alum.	LH	132069	RH	132070	216.00
**	19x15	3	Alum.	LH	132071	RH	132072	241.00
**	19x16	3	Alum.	LH	132073	RH	132074	241.00
**	19x17	3	Alum.	LH	132075	RH	132076	241.00
**	19x18	3	Alum.	LH	132077	RH	132078	241.00
**	19x19	3	Alum.	LH	132079	RH	132080	241.00
**	19x20	3	Alum.	LH	132081	RH	132082	241.00
**	19x21	3	Alum.	LH	132083	RH	132084	241.00

Weekends last longer when you carry a spare prop. Leisure time on your boat is too precious to risk wasting with a broken prop. You should always carry a spare Michigan prop and a prop wrench on board your boat.

MERCURY MERCURISER™ I ('62-'63) MERCURISER™ 80, 90

STERN DRIVE

HP Range: 80 to 140. Recom. (For twin installations increase pitch 2")

Approx. HP	Boat Length					
	Thru 17'	18'-21'	22'-25'	Houseboats, Barges		
80-90 HP	13x15	13x13	13x11	13x11	14x10	
110 HP	13x17	13x15	13x13	13x11	14x12	
140 HP	13x21	13x19	13x17	13x15	14x14	
RH Part No.	Nearest Merc. Equiv.	Dia. & Pitch	Blds.	Metal	Price	Numeric
PR151	C48-35936A3	13x11	3	Alum.	\$ 98.00	032089
PR153	C48-32392A3	13x13	3	Alum.	98.00	032090
PR155	C48-32390A3	13x15	3	Alum.	98.00	032091
PR157	C48-32264A3	13x17	3	Alum.	98.00	032092
PR159	C48-32750A3	13x19	3	Alum.	98.00	032093
PR161	C48-32746A3	13x21	3	Alum.	98.00	032094
PR163	C48-52008A3	13x23	3	Alum.	98.00	032095
DQ430		14x10	4	Alum.	127.00	032078

MERCURY MERCURISER™ MODEL O

HP Range: 60 HP. Recom. (For twin installations increase pitch 2")

Part No.	Merc. Equiv. No.	Boat Length			Houseboats, Barges	
		Thru 17'	18'-21'	22'-25'		
		10 1/4 x 15	10 1/4 x 13	10 1/4 x 11	10 1/2 x 9	
Part No.	Merc. Equiv. No.	Dia. & Pitch	Blds.	Metal	Price	Numeric
PR31	48-32194A1	10 1/4 x 9	3	Alum.	\$ 80.00	032083
PR33	48-33774A1	10 1/4 x 10	3	Alum.	80.00	032084
PR35	48-38098A1	10 1/4 x 11	3	Alum.	80.00	032085
PR37	48-38094A1	10 1/4 x 12	3	Alum.	80.00	032086
PR39	48-38090A1	10 1/4 x 13	3	Alum.	80.00	032087
PR43	48-38086A1	10 1/4 x 15	3	Alum.	80.00	032088

MERCURY MERCURISER™ II

HP Range: 170 to 325. Recom. (For twin installations increase pitch 2")

Approx. HP	Drive Ratio	Boat Length				
		Thru 17'	18'-21'	22'-25'	Houseboats, Barges	
170-190 HP	1.33:1	15 1/4 x 17	16 1/4 x 14	16 1/4 x 13	16 1/4 x 13	16 3/4 x 12
	1.78:1	16 x 25	16 3/8 x 23	16 3/8 x 21	16 x 16	16 x 16
225 HP	1.33:1	15 1/4 x 18	16 x 15	16 1/4 x 14	16 1/4 x 13	16 3/4 x 12
	1.78:1	15 3/4 x 27	16 x 25	16 3/8 x 23	16 x 16	16 x 16
300-325 HP	1.33:1	16 3/4 x 19	15 1/4 x 18	15 1/4 x 17	16 1/4 x 13	16 3/4 x 12
Aluminum props only.						
LH Part No.	Nearst Merc. Equiv.	RH Part No.	Nearst Merc. Equiv.	Diameter	Blds.	Price
SMC803	032105	48-49973	SMC802	032106	48-49974	16 x25 3 \$194.00
SMC805	032107	48-49971	SMC804	032108	48-49972	16 3/8 x 23 3 194.00
SMC807	032109	48-33879	SMC806	032110	48-33880	16 3/4 x 21 3 194.00
SMC809	072113	48-33881	SMC808	072112	48-33882	16 3/4 x 19 3 194.00
SMC737	072091	48-31673	SMC721	072090	48-31674	15 1/4 x 17 3 194.00
SMC765	072101				16 x 16	3 218.00
SMC736	072089	48-31671	SMC720	072088	48-31672	16 x 15 3 194.00
SMC735	072095	48-31669			16 1/4 x 13	3 194.00

MERCURISER™ STERN DRIVE (BLACK MAX SERIES PROPS) (1983 Thru)

(New style has shift plate on side of engine or exhaust manifold)

Approx. HP Gear	23 Pitch	21 Pitch	19 Pitch				
120 HP 1.98:1	up to 18'	up to 19'	17'-21'				
140 HP 1.98:1	up to 18'	up to 19'	17'-21'				
170 HP 1.84:1	up to 20'	18'-22'	20'-24'				
170 HP 1.65:1	up to 19'	up to 20'	18'-22'				
185 HP 1.65:1		up to 18'	up to 19'				
185 HP 1.84:1	up to 21'	18'-23'	21'-25'				
188 HP 1.65:1		up to 18'	up to 19'				
198 HP 1.50:1	up to 18'	up to 19'	18'-21'				
228 HP 1.50:1	up to 19'	up to 20'	19'-22'				
260 HP 1.50:1			up to 20'				
Approx. HP Gear	17 Pitch	15 Pitch	13 Pitch	11 Pitch			
120 HP 1.98:1	19'-23'	21'-25'	23'-27'	24'-up			
140 HP 1.98:1	19'-23'	21'-25'	23'-27'	24'-up			
170 HP 1.84:1	21'-25'	22'-26'	23'-28'	25'-up			
170 HP 1.65:1	20'-24'	21'-25'	22'-26'	23'-28'			
185 HP 1.65:1	up to 21'	19'-23'	21'-25'	23'-26'			
185 HP 1.84:1	22'-26'	23'-27'	24'-29'	26'+			
188 HP 1.65:1	up to 21'	19'-23'	21'-25'	23'-26'			
198 HP 1.50:1	19'-23'	22'-28'	24'-30'	27'-up			
228 HP 1.50:1	21'-25'	23'-28'	25'-32'	28'-up			
260 HP 1.50:1	up to 21'	20'-23'	22'-26'	24'-31'			
RH Part No.	Nearst Merc. Equiv.	Dia. & Pitch	Blds.	Metal	Price	Numeric	
PM211C	48-78112A4	16 x 11	3	Alum.	\$119.00	031021	
PM213C	48-78114A4	16 x 13	3	Alum.	119.00	031022	
SSM245C	48-93272A4	14 1/2 x 15	3	S.S.	351.00	033002-1	
PM215C	48-78116A4	15 1/4 x 15	3	Alum.	119.00	031023	
SSM247C	48-79794A4	14 1/2 x 17	3	S.S.	351.00	033003-1	
PM217C	48-78118A4	14 1/2 x 17	3	Alum.	119.00	031024	
SSM249C	48-73980A4	14 x 19	3	S.S.	351.00	033004-1	
PM219C	48-78120A4	14 x 19	3	Alum.	119.00	031025	
SSM251C	48-73982A4	13 3/4 x 21	3	S.S.	351.00	033005-1	
PM221C	48-78122A4	13 3/4 x 21	3	Alum.	119.00	031026	
SSM253C	48-75724A4	13 1/2 x 23	3	S.S.	351.00	033006-1	
PM223C	48-78124A4	13 1/2 x 23	3	Alum.	119.00	031027	
Model	Part No.	Boat Size-Speed (MPH)	Dia. & Pitch	Blds.	Metal	Price	Numeric
V/8 Thru 260 HP	SSM272C	30'+ (40-45)	15 1/4 x 17 (RH)	3	S.S.	\$403.00	033020-1
Twin Engine (260 HP max.)	SSM292C	25'-30' (44-48)	15 x 19 (RH)	3	S.S.	403.00	033021-1
	SSM312C	22'-25' (48-55)	15 x 19 (LH)	3	S.S.	403.00	033025-1
			14 1/2 x 21 (RH)	3	S.S.	403.00	033022-1
			14 1/2 x 21 (LH)	3	S.S.	403.00	033027-1

*CAUTION: Standard trim tab is 31640A1; standard thrust washer 77987. Mercuriser I props (1982 and before) on this stern drive require thrust washer 56292A1. NOTE: (For twin engines increase pitch 4").

Michigan Wheel gives you unmatched selection and variety.

One stop shopping for most outboard and stern drive units still in existence thru an international network of distributors.

MERCURY MERCURISER™ 1A, 1B, 1C, 120, 140, 145DTS, 165, 228, 470, 485, 888, 898, 225S, 233, 255TRS, 260, 280TRS (Thru 1982)

HP Range: 110 to 280. Recom. (For twin installations increase pitch 2")
(Old style—shift plate on back of engine or transom plate thrust hub 56292)

Approx. HP	Boat Length					
	Thru 17'	18'-20'	21'-22'	23'-25'		
110-120 HP	15 x23C	15 1/4 x 21C	15 1/2 x 19	15 3/4 x 17C		
140 HP (1.68:1 Gear)	15 1/4 x 21C	15 1/2 x 19C	15 3/4 x 17C	16 x 15C		
140 HP (1.98:1 Gear)	15 x23C	15 1/4 x 21C	15 1/2 x 19C	15 3/4 x 17C		
150-165-170 HP	15 x23C	15 1/4 x 21C	15 1/2 x 19C	15 3/4 x 17C		
185-188-198-225-228-233 HP	15 x23C	15 1/4 x 21C	15 1/2 x 19C	15 3/4 x 17C		
255-280 HP	15 x23C	15 1/4 x 21C	15 1/2 x 19C	15 3/4 x 17C		
RH Part No.	Nearst Merc. Equiv.	Dia. & Pitch	Blds.	Metal	Price	Numeric
SMC504C	48-36020A4	16 x 13	3	Alum.	\$119.00	031034
SMC374C	48-79570A4	16 x 15	3	Alum.	117.00	031035
SMC376C	48-79572A4	15 3/4 x 17	3	Alum.	117.00	031036
SSM350C		15 3/4 x 17	3	S.S.	355.00	033007
SMC378C	48-79574A4	15 1/2 x 19	3	Alum.	117.00	031037
SSM354C		15 1/2 x 19	3	S.S.	355.00	033008
SMC380C	48-79576A4	15 1/4 x 21	3	Alum.	117.00	031038
SSM358C		15 1/4 x 21	3	S.S.	355.00	033009
SMC382C	48-79578A4	15 x 23	3	Alum.	117.00	031039
SMC384C	48-79580A4	15 x 25	3	Alum.	117.00	031040

*CAUTION: Standard trim tab is 34127A1; standard thrust washer 56292A1. Black Max series props used on these drives will require trim tab 31640A1 and thrust washer 77987. NOTE: All Props in above listing have Cupped Blade Edges.

**OUTBOARD MARINE (OMC) 80-90
HP 2 CYCLE ('68) SMALL GEAR CASE;
MARINE DRIVE SYSTEMS/RANGER**

STERN DRIVE

**VOLVO-PENTA 100-110; EATON
MODEL B; (PIN DRIVE)**

HP Range: 80 to 120. Recom. (For twin installations increase pitch 2")

Approx. HP	Thru 17'	18'-21'	Boat Length 22'-25'	Houseboats, Barges		
80-90 HP	10x11	10 1/4x10	10 1/4x9	10 1/2x8		
110-120 HP	10x13	10 x11	10 1/4x10	10 1/4x9		
Part No.	OMC Equiv. No.	Dia. & Pitch	Blds.	Metal	Price	Numeric
SMC862		10 1/4x9	3	Alum.	\$ 70.00	012106
SMC864		10 1/2x8	3	Alum.	70.00	012107
PJ75	378040	10 1/4x10	3	Alum.	59.00	012043
PJ76	377978	10 x11	3	Alum.	56.00	012044
PJ77	378039	10 x12	3	Alum.	56.00	012045
PJ78	593437	9 1/2x10	3	Alum.	59.00	012046
*PJ73	381446	10 x11	3	Alum.	54.00	012041
*PJ74	379260	10 x 9 1/4	3	Alum.	54.00	012042

*Small Hub prop—uses special small nut—Part No. 302001—\$11.00

HP Range: 110 to 150. (For twin installations increase pitch 2")

Drive Ratio	Thru 17'	Boat Length 18'-21'	22'-25'	Houseboats, Barges					
1.26:1	13x15	14x12	14x10	14x9					
1.47:1	14x16	14x14	14x13	14x12					
1.5:1	14x16	14x14	14x13	14x12					
LH Rot. Part No.	Numeric	Volvo Equiv.	RH Rot. Part No.	Numeric	Volvo Equiv.	Dia. & Pitch	Blds.	Metal	Price
SMC929	082051		SMC944	082054		14x16	3	Al.	\$133.00
SMC925	082049	809862	SMC940	082052	813241	14x14	3	Al.	133.00
SMC922	082047	813229				14x13	3	Al.	133.00
SMC921	082045	813228				14x12	3	Al.	133.00
SMC980	082057	813226				14x10	3	Al.	133.00

**VOLVO-PENTA AQUAMATIC 200, 250, 270,
275, 280, 290 (SPLINED SHAFT 1-1/8" DIA.)**

HP Range: 110 to 290. (For twin installations increase pitch 2")

Approx. HP	Drive Ratio	Thru 17'	Boat Length 18'-21'	22'-25'	Houseboats, Barges
110-145 HP	1.35:1	13 x13	13x12		
	1.62:1	14 x17	14x16	14x15	15x12
	2.15:1	14 x19	14x18	14x17	15x14
150-185 HP	1.35:1	14 x17	14x16	15x12	15x10
	1.61:1	14 x21	14x19	15x16	15x14
	1.89:1	14 x19	14x17	15x14	15x12
190-225 HP	1.35:1	14 x21	15x19	15x17	
	1.61:1	14 3/8x21	16x18	16x16	16x13
230-260 HP	1.61:1	14 x25	14x23	15x21	
290 HP	1.61:1	14 x25	14x23	14x21	

LH Rot. Part No.	Numeric	Volvo Equiv.	RH Rot. Part No.	Numeric	Volvo Equiv.	Dia. & Pitch	Blds.	Mtl.	Price
SMC556	082081	813282-1	SMC566	082080	813283-9	14 x12	3	Al.	\$136.00
SMC570	082083	813286-2	SMC530	082082	813287-0	14 x14	3	Al.	136.00
SMC338	082025	814626-8	SMC339	082026	814631-8	14 x15	3	Al.	157.00
SMC342	082027	814627-6	SMC343	082028	814632-6	14 x17	3	Al.	157.00
	†082001			†082002		14 x17	3	Al.	144.00
				†084006		14 x17	3	S.S.	356.00
SMC346	082031	814628-4	SMC347	082032	814633-4	14 x19	3	Al.	157.00
	†082003			†082004		14 x19	3	Al.	144.00
				†084008		14 x19	3	S.S.	356.00
SMC348	082033	814629-2	SMC349	082034	814634-2	14 x21	3	Al.	157.00
	†082009	851138-8		†082010	851139-6	14 x21	3	Al.	144.00
SMC350	082053	839569-1	SMC351	082036	839570-9	14 x23	3	Al.	157.00
PR248	082061		PR250	082062	839570-9	14 3/8x23	3	Al.	136.00
PR256	082063		PR258	082064		14 3/8x25	3	Al.	136.00
PR260	082065					14 3/8x27	3	Al.	136.00
PR264	082067					14 3/8x29	3	Al.	136.00
SMC592	082085	813296-1	SMC582	082084	813297-9	15 x11	3	Al.	140.00
SMC606	082087	813316-7	SMC604	082086	813317-5	15 x13	3	Al.	140.00
SMC340	082059	814611-0	SMC341	082060	814615-1	15 x15	3	Al.	157.00
SMC344	082029	814612-8	SMC345	082030	814616-9	15 x17	3	Al.	157.00
	†082011	851124-8		†082012	851125-5	15 x17	3	Al.	151.00
SMC293	082021		SMC292	082022		15 x19	3	Al.	157.00
	†082013	850864-0		†082014	850865-7	15 x19	3	Al.	151.00
SMC295	082023		SMC294	082024		15 x21	3	Al.	157.00
	†082015	850866-5		†082016	850867-3	15 x21	3	Al.	151.00
PR397	082069		PR396	082068		16 x13	3	Al.	170.00
PR401	082071		PR400	082070		16 x15	3	Al.	170.00
PR405	082073		PR404	082072		16 x17	3	Al.	170.00
PR409	082075		PR408	082074		16 x19	3	Al.	170.00
PR413	082077		PR412	082076		16 x21	3	Al.	170.00
PR417	082079		PR416	082078		16 x23	3	Al.	170.00
†SSV171C	083001	852086-8	†SSV172C	083002	852155-1	15 1/4x17	3	S.S.	377.00
†SSV191C	083003	852085-0	†SSV192C	083004	852138-7	15 x19	3	S.S.	377.00
†SSV211C	083005	852087-6	†SSV212C	083006	852137-9	14 1/2x21	3	S.S.	377.00

NOTE: Bushings for above alum. props suggested for max. 240 HP unless marked with at.
 ***Standard hub props drive serial #P2287179 require cone #850785-7, ring #851261-1, washer #850888-9, and bolt #850889-7 (prior drives require washer #897367-9 also).

**Long hub props require cone #850785-7, washer #850888-9, and bolt #850889-7.
 + Will not fit a 270 Stern Drive.

- For SSV Series:
1. Designed for boats with power to weight ratios of 12:1 and below.
 2. Boats must have power trim.
 3. Anti-cavitation plate height: 1" above boat bottom.
 4. Blades cambered must run in ventilated condition.
 5. Use 2" less pitch if current aluminum prop cupped, 3" less if uncupped.

**OUTBOARD MARINE (OMC) MODEL
13 LARGE GEAR CASE ('64-'66)**

HP Range: 120 to 150. Recom. (For twin installations increase pitch 2")

Approx. HP	Thru 17'	18'-21'	Boat Length 22'-25'	Houseboats, Barges		
120 HP	14 1/4x20	14 1/4x18	14 1/4x16	14 1/4x14		
150 HP	14 1/4x22	14 1/4x20	14 1/4x18	14 1/4x16		
Part No.	OMC Equiv. No.	Dia. & Pitch	Blds.	Metal	Price	Numeric
SMC304	380189	14 1/4x18	3	Alum.	\$137.00	012103
SMC308	380188	14 1/4x16	3	Alum.	137.00	012104
SMC312	380074	14 1/4x14	3	Alum.	137.00	012105

**OUTBOARD MARINE (OMC) MODEL
14 LARGE GEAR CASE ('67-'77)**

HP Range: 120 to 245. Recom. (For twin installations increase pitch 2")

Approx. HP	Thru 17'	18'-21'	Boat Length 22'-25'	Houseboats, Barges		
100-120 HP	14x16	14x14	14x12	14x11		
140-170 HP	14x18	14x16	14x14	14x12		
185-245 HP	14x20	14x18	14x16	14x14		
Right Hand Part No.	OMC Equiv. No. (RH Only)	Dia. & Pitch	Blds.	Metal	Price	Numeric
SMC304	380189	14 1/4x18	3	Alum.	\$137.00	012103
SMC308	380188	14 1/4x16	3	Alum.	137.00	012104
SMC312	380074	14 1/4x14	3	Alum.	137.00	012105
PR105	381442	13 x14	3	Alum.	137.00	012087
PR115	382676	14 x11	3	Alum.	137.00	012089
PR118	382017	14 x12	3	Alum.	137.00	012090
PR120	381185	14 x14	3	Alum.	137.00	012091
PR122	381186	14 x16	3	Alum.	137.00	012092
PR124	381187	14 x18	3	Alum.	137.00	012093
PR126	383287	14 x20	3	Alum.	137.00	012094

**VOLVO-PENTA 80, 100; EATON MODEL A;
MUNCIE 300, 500, 501; PERKINS Z; ENFIELD
TRANSA-DRIVE (SPLINED SHAFT 13/16" DIA.)**

HP Range: 80 to 155. (For twin installations increase pitch 2")

Approx. HP	Drive Ratio	Thru 17'	Boat Length 18'-21'	22'-25'	Houseboats, Barges	
80-110 HP	1.1:1	12 1/2x13	12 1/2x11			
	1.5:1	14 x14	14 x12	14 x11	14x9	
	1.8:1	14 x16	14 x14	14 x12	14x9	
140-155 HP	1.1:1	12 1/2x15	12 1/2x13	12 1/2x11		
	1.5:1	14 x16	14 x14	14 x12	14x9	
	1.8:1	14 x18	14 x16	14 x14	14x12	
LH Rot. Part No.	Volvo Equiv.	Dia. & Pitch	Blds.	Metal	Price	Numeric
SMC885	804446	12 1/2x15	3	Alum.	\$103.00	082035
SMC900		14 x16	3	Alum.	133.00	082041
SMC898	806603	14 x14	3	Alum.	133.00	082037
SMC906	806601	14 x12	3	Alum.	133.00	082043



**MICHIGAN WHEEL
CORPORATION**

1501 Buchanan Ave., S.W.
Grand Rapids, MI 49507
Telex: 6877077 MIMOT UW
Phone: (616) 452-6941
Fax: (616) 247-0227

August 1, 1988